



Republic of the Philippines
SOCIAL SECURITY SYSTEM
East Avenue, Diliman, Quezon City
NCR NORTH DIVISION



8th floor SSS Bldg. East Ave. Diliman QC
Tel. No. 922-3453 Fax No. 435-9827

CANVASS

February 7, 2020

REQ 2020 - 003

Gentlemen :

Please furnish us with your quotation on or before **February 10, 2020** for the supply and delivery of the following item/s:

| ITEM | DESCRIPTION | QTY. | UNIT | UNIT COST | TOTAL COST |
|-----------------------------------|--|------|-------|-----------|------------|
| PER ITEM OF THE FOLLOWING: | | | | | |
| 1 | FLUORESCENT LAMP LINEAR 20 WATTS | 55 | PIECE | | |
| | Specifications: Wattage: 20W Voltage: 230V 60Hz Base: G13 Color Temperature: 6500 K / Daylight Average life: 10000 Hrs Pcs/ctn: 2 Estimated Cost: Php2,520.00 @ Php180.00/unit | | | | |
| 2 | FLUORESCENT LAMP LINEAR 40 WATTS | 220 | PIECE | | |
| | Specifications: Wattage: 40W Voltage: 230V 60Hz Base: 613 Color Temperature: 6500 K / Daylight Average life: 10000 Hrs Pcs/ctn: 25 Estimated Cost: Php2,100.00 @ Php210.00/unit | | | | |
| 3 | LED BULB 15 WATTS DAYLIGHT | 79 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 15W Luminous Flux: 1,500lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 120 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php8,528.00 @ Php164.00/unit | | | | |
| 4 | LED BULB 3 WATTS WARM WHITE | 15 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 3W Luminous Flux: 300lm Color Temperature: 2700-3500 K / Warm White Beam Angle: 120 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php900.00 @ Php60.00/unit | | | | |

| | | | | | |
|----|--|-----|-------|--|--|
| 5 | LED BULB 5 WATTS DAYLIGHT | 35 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 5W Luminous Flux: 500lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 120 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php2,800.00 @ Php80.00/unit | | | | |
| 6 | LED BULB 7 WATTS DAYLIGHT | 85 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 7W Luminous Flux: 700lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 120 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php5,728.80 @ Php92.40.00/unit | | | | |
| 7 | LED BULB 9 WATTS DAYLIGHT | 167 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 9W Luminous Flux: 900lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 180 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php5,250.00 @ Php105.00/unit | | | | |
| 8 | LED PIN LIGHT 10 WATTS 3U BULB DAYLIGHT | 65 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 10W Luminous Flux: 900 lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 120 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Bi Pin Type Estimated Cost: Php2,970.00 @ Php110.00/unit | | | | |
| 9 | LED PIN LIGHT 10 WATTS 3U BULB DAYLIGHT | 25 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 10W Luminous Flux: 900 lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 180 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php3,850.00 @ Php110.00/unit | | | | |
| 10 | LED PIN LIGHT 16 WATTS 3U BULB DAYLIGHT | 40 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 16W Luminous Flux: 1,440 lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 180 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php9,245.00 @ Php215.00/unit | | | | |
| 11 | LED PIN LIGHT 24 WATTS 4U BULB DAYLIGHT | 20 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 24W Luminous Flux: 2,160 lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 180 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php1,345.00 @ Php269.00/unit | | | | |

| | | | | | |
|----|--|-----|-------|--|--|
| 12 | LED BULB 9 WATTS DAYLIGHT | 80 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 9W Luminous Flux: 900lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 180 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php5,250.00 @ Php105.00/unit | | | | |
| 13 | PIN LIGHT 18 WATTS 2U BULB | 5 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 18W Luminous Flux: 1,440 lm Color Temperature: 5500-6500 K / Daylight Beam Angle: 180 Degrees Lifetime Hours: 25,000 hours (min) Bulb Holder: Screw Cap E27 Estimated Cost: Php9,245.00 @ Php215.00/unit | | | | |
| 14 | SET FLUORESCENT TUBE LIGHT T5 14 WATTS | 12 | PIECE | | |
| | Specifications: Wattage: 14W Luminous Flux: 1,400 lm Dimension: 600 mm Color Temperature: 5500-6500 K / Daylight Material: Aluminum Housing + PC Cover PC Cover: Frosted / Clear Light Source: High Brightness LED SMD Beam Angle: 120 Degrees Lifetime: > 50,000 hours Wiring: T5 Connector Input Voltage: AC 85V - 265V 50/60 Hz With built-in housing Estimated Cost: Php1,998.00 @ Php249.75/unit | | | | |
| 15 | SET FLUORESCENT TUBE LIGHT T5 28 WATTS | 176 | PIECE | | |
| | Specifications: Nominal wattage: 28W Nominal luminous flux: 2400 lm Light color (designation): LUMILUX Cool Daylight Rated color temperature: 6500 k Tube diameter: 16 mm Length: 1149 mm Length with base excl. base pins/connection: 1149 mm Rated ambient temp.w.max.luminous flux: 35 Degrees Lifetime : 24000 h With built-in housing Estimated Cost: Php20,982.50 @ Php299.75/unit | | | | |
| 16 | T5 TUBE LIGHT 21 WATTS 4FT INDUSTRIAL DAYLIGHT | 23 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 21W Luminous Flux: 2,100 lm Dimension: 1,200 mm Color Temperature: 5500-6500 K / Daylight Material: Aluminum Housing + PC Cover Beam Angle: 120 Degrees Lifetime Hours: > 50,000 hours Wiring: T5 Connector Estimated Cost: Php3,040.00 @ Php380.00/unit | | | | |

| | | | | | |
|-------------------|--|-----|-------|--|--|
| 17 | T5 TUBE LIGHT 28 WATTS INDUSTRIAL DAYLIGHT | 463 | PIECE | | |
| | Specifications: Nominal wattage: 28W Nominal luminous flux: 2400 lm Light color (designation): LUMILUX Cool Daylight Rated color temperature: 6500 k Tube diameter: 16 mm Length: 1149 mm Length with base excl. base pins/connection : 1149 mm Rated ambient temp.w.max.luminous flux : 35 Degrees Lifetime : 24000 h Estimated Cost: Php48,495.00 @ Php265.00/unit | | | | |
| 18 | T8 FLUORESCENT LAMP 36 WATTS 4FT INDUSTRIAL DAYLIGHT | 101 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 36 W Luminous Flux: 3,600 lm Dimension: 1,200 mm Color Temperature: 5500-6500 K / Daylight Material: Aluminum Housing + PC Cover Beam Angle: 120 Degrees Lifetime Hours: > 50,000 hours Wiring: Double Ended Estimated Cost: Php26,600.00 @ Php200.00/unit | | | | |
| 19 | T8 LED TUBE LIGHT 16 WATTS 4FT INDUSTRIAL DAYLIGHT | 46 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 16W Luminous Flux: 1,600 lm Dimension: 1,200 mm Color Temperature: 5500-6500 K / Daylight Material: Aluminum Housing + PC Cover Beam Angle: 120 Degrees Lifetime Hours: > 50,000 hours Wiring: T8 Connector Estimated Cost: Php1,120.00 @ Php280.00/unit | | | | |
| 20 | T8 LED TUBE LIGHT 18 WATTS 4FT INDUSTRIAL DAYLIGHT | 69 | PIECE | | |
| | Specifications: Input Voltage (Wattage) : 18W Luminous Flux: 1,800 lm Dimension: 1,200 mm Color Temperature: 5500-6500 K / Daylight Material: Aluminum Housing + PC Cover Beam Angle: 120 Degrees Lifetime Hours: > 50,000 hours Wiring: Double Ended Estimated Cost: Php5,400.00 @ Php180.00/unit | | | | |
| TOTAL COST | | | | | |

End Users: SSS Batasan, Congressional, Cubao, Deparo, Diliman, Eastwood, Fairview, Kalookan, Malabon, Navotas, North Caloocan, Novaliches, Paso De Blas, SFDM, Valenzuela Branch.

Note: Award shall be made on a per item basis.

Total Approved Budget for the Contract: Php 365,188.00

- The SSS shall withhold the VAT from the amounts payable to the supplier in accordance with the BIR Regulations.
- The winning supplier is required to post a performance bond within three (3) calendar days from receipt of Notice of Award equivalent to 5% Cash, Cashier's/Manager's Check, Bank Guarantee/Draft or 30% Surety Bond callable upon demand, of the contract price.

Price Validity: Three (3) months

This is to certify that my firm/company has paid/updated in all SSS Obligations / contribution payments to the Social Security System.

Signature : _____
Name of Owner/Company Rep : _____
Business Name : _____



Republic of the Philippines
SOCIAL SECURITY SYSTEM
East Avenue, Diliman, Quezon City
NCR NORTH DIVISION



TERMS AND CONDITIONS

1. Price quotation should be made with extra care taking into account the specifications and unit of quantity to avoid errors.
2. Price quotation should be made with extra care taking into account the specifications and unit of quantity to avoid errors.
3. All quotations in excess of the Approved Budget Contract shall be automatically rejected.
4. Supplier must present demo units of their offered units on the scheduled inspection, if required.
5. The supplier binds himself to this quotation.
6. Completion period: Fifteen (15) calendar days upon receipt of Purchase Order.
7. Quotations not using the prescribed/official canvass form shall automatically be disqualified.
8. Indicate the correct SSS Number of supplier/contractor in the quotation form.
9. Please make certain to affix the signature of the owner, manager or any of its duly authorized representatives in a clear legible manner.
10. Supplier shall offer one (1) sealed quotation only. Alternative bids shall be rejected.
11. Supplier shall be required to submit a Notarized Omnibus Sworn Statement upon notice by the BAC Division Secretariat.
12. Please send your SEALED QUOTATION/CANVASS to the above address or thru email at lobolm@sss.gov.ph or ruiles@sss.gov.ph with the following Eligibility Requirements, failure to attach the following legal documents shall be a ground for automatic disqualification of submitted quotation:
 - a)Registration Certificate from SEC, DTI for sole proprietorship, or CDA for cooperatives, or any proof of such registration.
 - b)Mayor's Permit issued by the city or municipality where the principal place of business of the prospective bidder is located.
 - c)Valid Certificate of PhilGEPS Registration/Number
 - d)Latest Form SSS R5 Contributions Payment
 - e)BIR Certificate of Registration (Form 2303)

Very truly yours,



EVELYN L. DUPLON
Chairperson, BAC Division

PLEASE SIGN YOUR :

NAME : _____

BUSNAME : _____

ADD : _____

SS EMPLOYER ID NO : _____

TIN NO. : _____

TEL/FAX NO. : _____