

PHILIPPINE BIDDING DOCUMENTS

Sixth Edition

Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

PROPOSED LEGAL OFFICE AT SSS
PAMPANGA BRANCH AND PROPOSED
RETILING OF MSS WAITING AREA AND
STAIRCASE AT SSS DAU BRANCH

ITB-SSS-CIVIL-2022-006

SEPTEMBER 2022

EMILY M. BELTRAN
TWG Chairperson

TABLE OF CONTENTS

G.	lossar	y of Terms, Abbreviations, and Acronyms	5
Se	ection	I. Invitation to Bid	7
Se	ection	II. Instructions to Bidders	10
	1.	Scope of Bid	11
	2.	Funding Information	11
	3.	Bidding Requirements	11
	4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	11
	5.	Eligible Bidders	11
	6.	Origin of Associated Goods	12
	7.	Subcontracts	12
	8.	Pre-Bid Conference	12
	9.	Clarification and Amendment of Bidding Documents	12
	10.	Documents Comprising the Bid: Eligibility and Technical Components	12
	11.	Documents Comprising the Bid: Financial Component	13
	12.	Alternative Bids	13
	13.	Bid Prices	13
	14.	Bid and Payment Currencies	13
	15.	Bid Security	14
	16.	Sealing and Marking of Bids	14
	17.	Deadline for Submission of Bids	14
	18.	Opening and Preliminary Examination of Bids	14
	19.	Detailed Evaluation and Comparison of Bids	14
	20.	Post Qualification	15
	21.	Signing of the Contract	15
Se	ection	III. Bid Data Sheet	16
Se	ection	IV. General Conditions of Contract	11121212131313141414151515161920202020
	1.	Scope of Contract	20
	2.	Sectional Completion of Works	20
	3.	Possession of Site	20
	4.	The Contractor's Obligations	20
	5.	Performance Security	20
	6.	Site Investigation Reports	21
	7.	Warranty	21
	8.	Liability of the Contractor	21
	9.	Termination for Other Causes	21



10.	Dayworks	21
11.	Program of Work	21
12.	Instructions, Inspections and Audits	21
13.	Advance Payment	22
14.	Progress Payments	22
15.	Operating and Maintenance Manuals	
Section V. Special Conditions of Contract		
Section	VI. Specifications	29
Section	VII. Drawings	37
Section	VIII. Bill of Quantities	39
Section	IX. Checklist of Technical and Financial Documents	81



Glossary of Terms, Abbreviations, and Acronyms

ABC –Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as Proposal and Tender. (2016 revised IRR, Section 5[c])

Bidder - Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – BangkoSentralngPilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project -Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section

GFI – Government Financial Institution.

GOCC –Government-owned and/or –controlled corporation.



Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as civil works or works. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project - refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

SSS – Social Security System.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.



Section I. Invitation to Bid



REPUBLIC OF THE PHILIPPINES SOCIAL SECURITY SYSTEM

East Avenue, Diliman, Quezon City Tel. Nos. (632)8709-7198*(632)8920-6446

E-mail: member relations@sss.gov.ph*Website http://www.sss.gov.ph

Invitation to Bid ITB-SSS-Civil-2022-006

PROPOSED LEGAL OFFICE AT SSS PAMPANGA BRANCH AND PROPOSED RETILING OF MSS WAITING AREA AND STAIRCASE AT SSS DAU BRANCH

		Price of Bid	Schedule of	Activities
Approved Budget for the Contract	Delivery/	Documents	Date/T	<i>[ime</i>
(ABC)	Completion	(non-		Deadline of
& Source of Fund	Period	refundable)	Pre-bid Conference	submission and receipt
				of bids
₱ 957,463.00	Within	₱1,000.00	September 28, 2022	October 19, 2022
Broken down as follows:	One		(Wednesday)	(Wednesday)
	Hundred		2:00pm	2:30pm
Item 1: Proposed Legal Office at	Twenty		Y S	· · · · · · ·
SSS Pampanga – ₱771,919.00	(120)			
(Code PAP No. 2022-128)	calendar			
	days upon			
Item 2: Retiling of MSS waiting	receipt of			
area and staircase at SSS Dau	Notice to			
Branch –	Proceed			
P 185,544.00	and Job			
(Code PAP No. 2022-130)	Order			
Approved 2022 Corporate				
Operating Budget - MOOE of the				
2022 Annual Procurement Plan				

- 1. The *SOCIAL SECURITY SYSTEM* (*SSS*) now invites bids for the above Procurement Project. Completion of the Works is required within One Hundred Twenty (120) calendar days. Bidders should have completed within five (5) years prior to the date of submission and receipt of bids, a contract similar to the Projects. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 2. Bids received in excess of the ABC shall be automatically rejected at Bid opening.
- 3. Bidding will be conducted through open competitive bidding procedures using non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184, otherwise known as the "Government Procurement Reform Act".
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Interested bidders may obtain further information from *SSS* and inspect the Bidding Documents at the address in the last item of the ITB from Monday to Friday, 8:00 a.m. to 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders starting **19 September 2022 up to the scheduled submission & receipt of bids** from the address stated in the last item of the ITB and upon payment of the applicable fee for the Bidding Documents, in the amount specified above.

The mode of payment will be on a cash basis payable at the SSS Cash Department, SSS Main Bldg., Ground floor, upon accomplishment of SSS Form R-6. The Bidding Documents shall be received personally by the prospective Bidder or his authorized representative.



It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the SSS, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The SSS will hold a Pre-Bid Conference on the date and time specified above at the Bidding Room, 2nd Floor, SSS Main Bldg., East Avenue, Diliman, Quezon City which shall be open to prospective bidders, but attendance shall not be mandatory. To ensure completeness and compliance of bids, bidders are advised to send their authorized technical and/or administrative representatives who will prepare the bid documents.

The Pre-Bid Conference will be conducted through online conference using Microsoft Teams. Kindly e-mail us on or before 27 September 2022, through e-mail address bac@sss.gov.ph, the following:

- a. Name of the representative and e-mail address; and
- b. Technical and administrative queries.
- 7. Bids must be duly received by the BAC Secretariat at the Bidding Room, 2nd Floor, SSS Main Building, East Avenue, Diliman, Quezon City on the deadline specified above. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in the **ITB** Clause 14.

Bid opening shall be on the date and time specified above at the Bidding Room, 2nd Floor, SSS Main Building, East Avenue, Diliman, Quezon City. Bids will be opened in the presence of the Bidders' representatives who choose to attend at the address above. Late bids shall not be accepted.

- 8. References to the dates and times shall be based on Philippine Standard time. Should any of the above dates fall on a holiday, the deadline shall be extended to the same time on the immediately succeeding business day in Quezon City.
- 9. The SSS reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 10. The SSS assumes no obligation to compensate or indemnify parties for any expense or loss that they may incur as a result of their participation in the procurement process, nor does SSS BAC guarantees that an award will be made as a result of this invitation. Furthermore, the SSS reserves the right to waive any defects or formality in the responses to the eligibility requirements and to this invitation and reserves the right to accept the proposal most advantageous to the agency.
- 11. For further information, please refer to:

Bids & Awards Committee The Secretariat

2nd Flr., SSS Main Bldg., East Ave., Diliman, Q.C. Tel # (632) 8922-1070; 8709-7198 local 5492 & 6382 Email – bac@sss.gov.ph

12. Bidding documents may be downloaded from the PROCUREMENT tab at www.sss.gov.ph starting 19 September 2022.

THE CHAIRPERSON BIDS & AWARDS COMMITTEE

ref.: itb-sss-civil-2022-006-Projects for Pampanga & Dau



Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Social Security System* wishes to receive Bids for the **Various Projects at SSS Pampanga and Dau Branches**, with identification number ITB-SSS-Civil-2022-006.

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *CY 2022* in the amount of **Nine Hundred Fifty-Seven Thousand Four Hundred Sixty-Three Pesos** (P 957,463.00) broken down as follows:

Item 1: Proposed Legal Office at SSS Pampanga Branch - ₱771,919.00
Item 2: Retiling of MSS Waiting Area & Staircase at SSS - ₱185,544.00
Dau Branch

2.2. The source of funding is: Approved 2022 Corporate Operating Budget - MOOE with Code PAP numbers 2022-128 & 130 of the 2022 Annual Procurement Plan.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.



- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

 A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.
- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Procuring Entity has prescribed that: **Subcontracting is not allowed.**

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address **Bidding Room**, **2nd Floor**, **SSS Main Building**, **East Avenue**, **Diliman**, **Quezon City and/or through online conference using Microsoft Teams** as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.



- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in Philippine Pesos.

pul

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until one hundred twenty (120) calendar days reckoned from the date of the submission and opening of bids. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.



19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.



Section III. Bid Data Sheet

Bid Data Sheet

	Diu Data Sileet				
ITB Clause					
5.2	For this purpose, contracts similar to the Projects refers to contracts which have the same major categories of work, which shall be:				
	(a) Comprised of civil-architectural and electrical works as detailed in the Specifications and Bill of Quantities (BOQ) Form, and				
	(b) Completed within (5) five y bid.	vears prior to the submi	ssion and opening of		
7.1	Subcontracting is not allowed.				
10.3	PCAB License and Registration	n:			
	Size Range : Si	& D mall B eneral Building			
	The bidder shall have at lear renovation including specialty				
10.4	The key personnel must meet the	he required minimum y	rears of experience set below:		
	Key Personnel	Required no. of years of relevant work experience	Field of Experience		
	Project Engineer/Architect	5 years	Construction / Renovation Works		
	Foreman	3 years	Construction / Renovation Works		
	Project Engineer/Architect s good standing.	should be PRC-regist	ered engineer / architect in		
10.5	Major equipment required for t	he project are as follow	vs:		
	a) Delivery truckb) Hand tools				
12	No further instruction.				
15.1	The bid security shall be in th following forms and amounts:	e form of a Bid Secur	ring Declaration or any of the		
	a. The amount of not less than <i>Php19,149.26</i> (2% of ABC), if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;				
	b. The amount of not less than <i>Php47</i> ,873.15(5% of ABC), if bid security is in Surety Bond.				
19.2	Partial bid is not allowed. The infrastructure project is packaged in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.				



20	The Lowest Calculated Bidder shall submit the following:
	1. Registration certificate from Securities and Exchange Commission (SEC) for corporation including Articles of Incorporation and General Information Sheet (GIS), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document
	2. Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	3. Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR)
	4. Latest Audited Financial Statements
	5. Latest income tax return corresponding to the Audited Financial Statements submitted, filed electronically (EFPS);
	6. Quarterly VAT (business tax returns) per Revenue Regulations 3-2005 for the last six (6) months prior to the submission and opening of bids filed electronically (EFPS);
21	Not applicable

Section IV. General Conditions of Contract



1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract** (SCC), references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

phil

Proposed Legal Office at SSS Pampanga and Proposed Retiling of MSS Waiting Area and Staircase at SSS Dau Branch

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **SCC** supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

Proposed Legal Office at SSS Pampanga and Proposed Retiling of MSS Waiting Area and Staircase at SSS Dau Branch



13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the SCC from payments due to the Contractor.



Section V. Special Conditions of Contract



Special Conditions of Contract

GCC Clause	
2	No sectional completion date
3.1	The Procuring Entity shall give possession of all parts of the Site to the Contractor for the duration of the Contract (120 calendar days) which shall commence upon receipt of the Notice to Proceed and Contract/Job Order.
6	Not applicable
7.2	Not applicable
8	Liability of the Contractor
	1. CONFIDENTIALITY. Neither party shall, without the prior written consent of the other, disclose or make available to any person, make public, or use directly or indirectly, except for the performance and implementation of the works, any confidential information, acquired from an information holder in connection with the performance of this Contract, unless: (i) the information is known to the disclosing party, as evidenced by its written records, prior to obtaining the same from the information holder and is not otherwise subject to disclosure restrictions on the disclosing party, (ii) the information is disclosed to the disclosing party by a third party who did not receive the same, directly or indirectly, from an information holder, and who has no obligation of secrecy with respect thereto, or (iii) required to be disclosed by law.
	The obligation of confidentiality by both parties, as provided herein, shall survive the termination of the Agreement.
	2. MERGER AND CONSOLIDATION. In case of merger, consolidation or change of ownership of the CONTRACTOR with other company, it is the responsibility of the surviving company/consolidated company/acquiring entity to inform SSS of the change in corporate structure/ownership. Failure to do so shall translate in such company assuming all liabilities of the acquired/merged company under the Agreement.
	3. FORCE MAJEURE. SUPPLIER shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that CONTRACTOR's delay in performance or other failure to perform its obligations under this Agreement is the result of a force majeure.
	For purposes of this Agreement the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which CONTRACTOR could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by CONTRACTOR. Such events may include, but not limited to, acts of SSS in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
	If a force majeure situation arises, CONTRACTOR shall promptly notify SSS in writing of such condition and the cause thereof. Unless otherwise directed by SSS in writing, CONTRACTOR shall continue to perform its obligations under this Agreement as far as is reasonably practical and shall seek all reasonable alternative means for performance not prevented by the force majeure.



- 4. NON-ASSIGNMENT. CONTRACTOR shall not assign its rights or obligations under this Agreement, in whole or in part, except with SSS's prior written consent. CONTRACTOR shall not subcontract in whole or in part the PROJECT and deliverables subject of this Agreement without the written consent of SSS.
- 5. WAIVER. Failure by either party to insist upon the other strict performance of any of the terms and conditions hereof shall not be deemed a relinquishment or waiver of any subsequent breach or default of the terms and conditions hereof, which can only be deemed made if expressed in writing and signed by its duly authorized representative. No such waiver shall be construed as modification of any of the provisions of the Agreement or as a waiver of any past or future default or breach hereof, except as expressly stated in such waiver.
- 6. CUMULATIVE REMEDIES. Any and all remedies granted to the parties under the applicable laws and the Contract shall be deemed cumulative and may therefore, at the sole option and discretion, be availed of by the aggrieved party simultaneously, successively, or independently.
- 7. NO EMPLOYER-EMPLOYEE RELATIONSHIP. It is expressly and manifestly understood and agreed upon that the employees of CONTRACTOR assigned to perform the PROJECT are not employees of SSS. Neither is there an employer-employee relationship between SSS and CONTRACTOR.
 - The Agreement does not create an employer-employee relationship between SSS and the CONTRACTOR including its personnel; that the services rendered by the personnel assigned by CONTRACTOR to SSS in the performance of its obligation under the contract do not represent government service and will not be credited as such; that its personnel assigned to SSS are not entitled to benefits enjoyed by SSS' officials and employees such as Personal Economic Relief Allowance (PERA), Representation and Transportation Allowance (RATA), ACA, etc.; that these personnel are not related within the third degree of consanguinity or affinity to the contracting officer and appointing authority of SSS; that they have not been previously dismissed from the government service by reason of an administrative case; that they have not reached the compulsory retirement age of sixty-five (65); and that they possess the education, experience and skills required to perform the job. The CONTRACTOR hereby acknowledges that no authority has been given by SSS to hire any person as an employee of the latter. Any instruction given by SSS or any of its personnel to CONTRACTOR's employees are to be construed merely as a measure taken by the former to ensure and enhance the quality of project performed hereunder. The CONTRACTOR shall, at all times, exercise supervision and control over its employees in the performance of its obligations under the contract.
- 8. PARTNERSHIP. Nothing in the contract shall constitute a partnership between the parties. No party or its agents or employees shall be deemed to be the agent, employee or representative of any other party.
- 9. COMPLIANCE WITH SS LAW. CONTRACTOR shall report all its employees to SSS for coverage and their contributions, as well as, all amortizations for salary/education/calamity and other SSS loans shall be updated. Should CONTRACTOR fail to comply with its obligations under the provisions of the SS Law and Employees' Compensation Act, SSS shall have the authority to deduct any unpaid SS and EC contributions, salary, educational, emergency and/or calamity loan amortizations, employer's liability for damages, including interests and penalties from CONTRACTOR's receivables under this Agreement.



Further, prescription does not run against SSS for its failure to demand SS contributions or payments from CONTRACTOR. Moreover, CONTRACTOR shall forever hold in trust SS contributions or payments of its employees until the same is fully remitted to SSS.

10. COMPLIANCE WITH LABOR LAWS. CONTRACTOR, as employer of the personnel assigned to undertake the PROJECT, shall comply with all its obligations under existing laws and their implementing rules and regulations on the payment of minimum wage, overtime pay, and other labor-related benefits as well as remittances or payment of the appropriate amount or contributions/payment (SSS, EC, Pag-IBIG, PhilHealth and taxes) with concerned government agencies/offices.

It is agreed further, that prior to the release of any payment by SSS to SUPPLIER, its President or its duly authorized representative, shall submit a sworn statement that all monies due to all its employees assigned to the PROJECT as well as benefits by law and other related labor legislation have been paid by CONTRACTOR and that he/she assumed full responsibility thereof.

11. COMPLIANCE WITH TAX LAWS. CONTRACTOR shall, in compliance with tax laws, pay the applicable taxes in full and on time and shall regularly present to SSS within the duration of the Contract, tax clearance from the Bureau of Internal Revenue (BIR) as well as copy of its income and business tax returns duly stamped by the BIR and duly validated with the tax payments made thereon. Failure by CONTRACTOR to comply with the foregoing shall entitle SSS to suspend payment of the Contract Price.

As required under Executive Order (EO) 398, s. 2005, CONTRACTOR shall submit income and business tax returns duly stamped and received by the BIR, before entering and during the duration of this Agreement. CONTRACTOR, through its responsible officer, shall also certify under oath that it is free and clear of all tax liabilities to the government. CONTRACTOR shall pay taxes in full and on time and that failure to do so will entitle SSS to suspend or terminate this Agreement.

- 12. LIQUIDATED DAMAGES. If CONTRACTOR fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in the PBD inclusive of duly granted time extensions if any, SSS shall, without prejudice to its other remedies under this Agreement and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. Once the amount of liquidated damages reaches ten percent (10%), SSS may rescind or terminate this Agreement, without prejudice to other courses of action and remedies open to it.
- 13. HOLD FREE and HARMLESS. SUPPLIER agrees to defend, indemnify, and hold SSS free and harmless from any and all claims, damages, expenses, fines, penalties and/or liabilities of whatever nature and kind, whether in law or equity, that may arise by reason of the implementation of the Agreement. In addition,

CONTRACTOR agrees to indemnify SSS for any damage as a result of said implementation.



SUPPLIER hereby assumes full responsibility for any injury, including death, loss or damage which may be caused to SSS' employees or property or third person due to CONTRACTOR's employees' fault or negligence, and further binds itself to hold SSS free and harmless from any of such injury or damage. SSS shall not be responsible for any injury, loss or damage which CONTRACTOR or any of its employees may sustain in the performance of CONTRACTOR's obligations under this Agreement.

14. SETTLEMENT OF DISPUTES. If any dispute or difference of any kind whatsoever shall arise between SSS and CONTRACTOR in connection with or arising out of this Agreement, the Parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

If after thirty (30) days, the Parties have failed to resolve their dispute or difference by such mutual consultation, then either SSS or CONTRACTOR may give notice to the other Party of its intention to commence arbitration, in accordance with RA No. 876, otherwise known as the "Arbitration Law" and RA No. 9285, otherwise known as the "Alternative Dispute Resolution Act of 2004," in order to settle their disputes.

No arbitration in respect of this matter may be commenced unless such notice is given.

Notwithstanding any reference to arbitration herein, the Parties shall continue to perform their respective obligations under this Agreement unless they otherwise agree.

- 15. VENUE OF ACTIONS. In the event court action is necessary in order to promote Arbitration, such action shall be filed only before the proper courts of Quezon City, to the exclusion of all other venues.
- 16. GOVERNING LAW. The Agreement shall be governed by and interpreted according to the laws of the Republic of the Philippines.
- 17. AMENDMENTS. This Agreement may be amended only in writing and executed by the parties or their duly authorized representatives.
- 18. SEPARABILITY. If any one or more of the provisions contained in the contract or any document executed in connection herewith shall be invalid, illegal or unenforceable in any respect under any applicable law, then: (i) the validity, legality and enforceability of the remaining provisions contained herein or therein shall not in any way be affected or impaired and shall remain in full force and effect; and (ii) the invalid, illegal or unenforceable provision shall be replaced by the parties immediately with a term or provision that is valid, legal and enforceable and that comes closest to expressing the intention of such invalid illegal or unenforceable term of provision.
- 19. BINDING EFFECT. The Agreement shall be binding upon the Parties hereto, their assignee/s and successor/s-in-interest.
- 10 Dayworks are applicable at the rate shown in the Contractor's original Bid. 11.1 The Contractor shall submit the Program of Work to the Procuring Entity's Representative within five (5) calendar days after the conduct of pre-construction
- The period between Program of Work updates is seven (7) calendar days. The amount to be withheld for late submission of an updated Program of Work is ten percent (10%) of the cost of accomplishment of the progress billing, on top of applicable ten percent (10%) retention money.

11.2

13	The amount of the advance payment is 15% of the total contract price to be deducted in a pro-rated basis every Progress Billing.			
14	Progress payment may be made in three (3) billings and upon written request by the Contractor, following the matrix below:			
	PROGRESS PAYMENT BASIS OF PAYMENT			
	1 st Billing	20% or more work accomplishment.		
	2 nd Billing	75% or more work accomplishment		
3rd or Final Billing project and upon issuar		One hundred percent (100%) completion of the project and upon issuance of Certificate of Completion as certified by the Procuring Entity's Representative		
	Materials and equipment not be included for paym	t delivered on the site but not completely put in planent.	ace shall	
15.1	The date by which "as built" drawings are required is within two (2) weeks after the completion of the project.			
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is ten percent (10%) of the Contract Price.			



Section VI. Specifications



Project : PROPOSED LEGAL OFFICE AT SSS PAMPANGA

Location : DMGC, Brgy. Maimpis, City of San Fernando, Pampanga Subject : SCOPE OF WORKS and MATERIAL SPECIFICATIONS

I. SCOPE OF WORKS

The work contemplated under this contract shall consist of furnishing of all materials, labor, tools and equipment, permits including the satisfactory performance of all work necessary for the complete execution of the plans, specification and other contract documents. The following are the scope of works.

1. GENERAL REQUIRMENTS

- 1.1 Mobilization and Demobilization.
- 1.2 Processing and securing permits. (for stay in workers)
- 1.3 Temporary facilities and Board-up.

2. SITE PREPARATION

- 2.1 Installation of Temporary Enclosure for the affected areas.
- 2.2 Demolition/Dismantling/Removal of existing wall partitions, kitchen counter, door/jamb and steel window.
- 2.3 Dismantling/ Removal of existing ceiling. (Fiber Cement Board & light metal frames, lighting assembly & others)
- 2.4 Removal/Chipping of existing floor, wall Tiles and Vinyl Tiles.

3. MASONRY WORKS

- 3.1 Constructions of wall using 4" for interior wall and 6" CHB for exterior wall with 10mmØ RSB, #16 G.I. Wire and Cement, Sand Mixture for masonry works. (see plans for details)
- 3.2 Plaster wall in smooth plain finished.
- 3.3 Construction Kitchen Sink Counter using 10mmØ RSB, #16 G.I. Wire and Cement, Sand, Gravel Mixture for concrete works. (see plans for details)

4. CARPENTRY WORKS

- 4.1 Constructions of Drywall Partitions using 6mm thk. Fiber Cement Board on metal framing. (see plans for details)
- 4.2 Construction of Ceiling using 4.5mm thk. Fiber Cement Board on metal framing. (see plans for details)
- 4.3 Fabrication of Pantry cabinet, Pigeon hole cabinet and Built-in cabinets. (see plans for details)

5. ARCHITECTURAL FINISHES

- 5.1 Installation of Polished Natural Granite Counter. (see plans for details)
- $5.2\;$ Re-painting of walls and other architectural accessories.
- 5.3 Installation of 600X600mm Acoustic Ceiling Board on CMT powder coated Aluminum Frame System as indicated In the Plans.
- 5.4 Installation of floor tiles using 600mmX600mm Polished Synthetic Granite Tiles, Tile Adhesive and Tile Grout. (see plans for details)
- 5.5 Installation of wall tiles using 400mmX200mm Ceramic Tiles for exterior accent wall (see plans for details)
- 5.6 Installation of 600mmx300mm Tiles for Floor and Wall of the Comfort room.
- 5.7 Installation of 600mmx300mm Tiles for Counter backsplash.

6. DOORS and WINDOWS

- 6.1 Supply and Installation of Glass Doors and Wood Doors with complete hardware and accessories. (see plans for details)
- 6.2 Supply and Installation of Windows on powder coated aluminum frames. (see plans for details)
- 6.3 Supply and Installation of Glass partition on powder coated aluminum frames. (see plans for details)

7. PAINTING WORKS

- 7.1 Painting of drywall partitions including base paint.
- 7.2 Painting of new masonry wall, all cracks, holes and other defects are covered with masonry putty.
- 7.3 Painting of existing masonry wall, all cracks, holes and other defects are covered with wall putty.
- 7.4 Painting of wood doors and jamb using wood primer, wood putty and aqua quick dry enamel.
- 7.5 Painting of cabinets using wood primer, wood putty and aqua quick dry enamel.
- 7.6 Repainting of Roof sheeting using roof paint.
- 7.7 Application of Cementitious Waterproofing for the exterior firewall.

8. SPECIALTY WORKS

- 8.1 Supply and Installation of frosted sticker. (see plans for details)
- 8.2 Supply and Installation of Acrylic signage. (see plans for details)



9. PLUMBING and SANITARY WORKS

- 9.1 Removal of existing Plumbing fixtures.
- 9.2 Installation of new water and sanitary line and tap to existing line.
- 9.3 Installation of other plumbing materials and fixtures.

10. ELECTRICAL WORKS

- 10.1 Roughing-Ins (all electrical PVC conduits should be embedded on floor and wall).
- 10.2Installation of new electrical wires, wire ways and conduit for lighting lines, normal and UPS power lines.
- 10.3Installation of new wiring devices such as Convenience outlet (normal & UPS line), Lighting switches, Lighting
 - fixtures, Emergency lights and Exhaust fan as indicated in the plans.
- $10.4 In stallation\ of\ smoke\ and\ heat\ detector\ for\ the\ Fire\ Detection\ System.$
- 10.5 Complete of Testing of Electrical Power.

11. STRUCTURED CABLING WORKS

- 11.1Roughing-Ins (all electrical PVC conduits should be embedded on floor and wall).
- 11.2Installation of new cable wires, wire ways and conduit.
- 11.3Installation of new devices Ethernet wall plate.
- 11.4Complete of testing and commissioning.

II. MATERIAL SPECIFICATION

PARTICULARS	DESCRIPTION	REMARKS
1. MASONRY WORKS		
a. Concrete Hollow Block	- 4" and 6" thk. with Class "A" mortar	- non load bearing
b. Portland Cement	- ASTM C 150 type 1 normal Portland	- Holcim or approved
	cement	equivalent
c. Reinforced Steel Bar	in 40 kg	
	- 10mmØ Deformed Bar	- high grade deformed bars
		FY-40kips
2. CARPENTRY WORKS		
2.1. WALL		
a. Fiber Cement Board	- 4.5mm thk.	- Hardieflex by James Hardie
b. Metal Studs	-76mmX50mmX0.80mm thk. (3.0m	- JEA MAXX by JEA Steel or
	length)	approve equivalent
c. Metal Tracks	-76mmX50mmX0.80mm thk. (3.0m	- JEA MAXX by JEA Steel or
	length)	approve equivalen
2.2. CEILING		
a. Fiber Cement Board	- 4.5mm thk.	- Hardieflex by James Hardie
b. Metal Furring	- 50mmX19mmX0.50mm. thk. (5.00m	- JEA MAXX by JEA Steel or
	length)	approve equivalent
c. Carrying Channel	-38mmX12mmX0.50mm. thk. (5.00m	- JEA MAXX by JEA Steel or
	length)	approve equivalent
d. Wall Angle	-25mmX25mmX0.50mm. thk. (2.40m	- JEA MAXX by JEA Steel or
	length)	approve equivalent
e. W-Clip	-0.50mm thk	- JEA MAXX by JEA Steel or
		approve equivalent
2.3 CABINETS		
	- ¾"thk. Marine Plywood	submit sample for approval
a. Plywood b. Laminated Board	- ¾ tirk. Warine Plywood - ¾"thk. Laminated Board	- submit sample for approval - submit sample for approval
c. PVC edging	- 1mmX22mm PVC edging	- submit sample for approval
d. Concealed Hinges	- automatic closing spring	- Hafele or approved
u. Concealed Filliges	- automatic closing spring	equivalent
e. Lid Stay	- mechanical bracket	- Hafele or approved
e. Liu Stay	- mechanical bracket	equivalent
f. Cabinet Handle	- 8" stainless steel handle	- Hafele or approved
i. Cabinet Handle	- o stanness steer nandie	equivalent
		equivalent



3. ARCHITECTURAL		
FINISHES		
3.1. ACOUSTIC CEILING	- 2'X2'X16mm thk., Fine Fissured Type	- Armstrong or approved
a. Acoustic Ceiling Board	- 1"X1½"X12'L, powder coated	equivalent - Armstrong or approved
b. CMT - Main Tee	- 1"X1½"X2'L, powder coated	equivalent - Armstrong or approved
c. CMT - Cross Tee	•	equivalent
d. CMT - Wall Angle	- 1"X1"X10'L, powder coated	- Armstrong or approved equivalent
3.2. TILING a. Polished Granite Tiles	- 600mmX600mm, synthetic	- Mariwasa or approved equivalentl
d. Ceramic Floor Tiles	- 300mmX600mm, unglazed	- Mariwasa or approved equivalent
c. Ceramic Wall Tiles	- 300mmX600mm, glazed	- Mariwasa or approved equivalent
d. Natural Granite	- ¾"thk. Natural Granite Slab	- submit sample for approval
Countertop e. Tile Adhesive	- 25kg./bag, Heavy Duty, white	- ABC Tile Adhesive or
	- 2kg./bags	approved equivalent - ABC Tile Grout or approved
f. Tile Grout	- ASTM C 150 type 1 normal Portland	equivalent - Holcim or approved
g. Portland Cement 4. DOORS, WINDOWS and	cement in 40 kg	equivalent
PARTITION		
a. Glass Door GD 01	- (900x1200) mm Frameless Single Leaf	- Brother aluminium frame or
	Door 12mm thk. Tempered clear glass w/ frosted vinyl sticker w/ stainless steel handle	approve equivalent
b. Wood Door WD 01	- (800x2100)mm Flush Hollow Core Wood Door, Lever Type Lockset, Door, Stainless steel hinges with bearing complete with	Yale or approved equivalentTanguile KD termite treated door jamb
c. Wood Door WD 02	hardware and accessories - (700x2100)mm Flush Hollow Core Wood	- Yale or approved equivalent
c. wood 5001 w5 02	Door with glass view and frosted sticker, Bottom louver, Lever Type Lockset, Door closer, Stainless steel handle with bearing	- Tanguile KD termite treated door jamb
d. Wood Door WD 03	complete with hardware and accessories - (700x2100)mm Flush Hollow Core Wood Door, Bottom louver, Lever Type Lockset, Door closer, Stainless steel handle with bearing complete with hardware and	Yale or approved equivalentTanguile KD termite treated door jamb
e .Door Closer	accessories - Automatic with built-in hold open	- Yale or approved equivalent
f. Window WDO 01	function - (Awning and Fixed) 6mm thk. Clear Glass with Frosted vinyl sticker and SSS logo on	- Brother aluminium frame or approve equivalent
g. Window WDO 02	powder coated aluminium frames - (Sliding and Fixed) 6mm thk. Clear Glass with Frosted vinyl sticker and SSS logo on	- Brother aluminium frame or approve equivalent
h. Glass Partition	powder coated aluminum frames - (Awning and Fixed) 6mm thk. Clear Glass with Frosted vinyl sticker and SSS logo on powder coated aluminum frames	- Brother aluminum frame or approve equivalent
5. PAINTING WORKS		
5.1 WALL a. Primer Latex	- apply 2 coats flat latex primer	- Davies or approved
b. Semi-Gloss Latex	- ready mix paint, apply 2-3 coats semi-	equivalent - Davies or approved
d. Masonry Putty	gloss latex for final coating of desired sheen by brush, roller or spray	equivalent - Davies or approved
e. Masonry Neutralizer	- Fill all cracks and holes - Fill all minor surface imperfections	equivalent - Davies Neutralizer or
·	- apply masonry neutralizer	approved equivalent
5.2 CEILING		



b. Ficem Board Putty 5.2 DOORS, JAMB, CABINETS a. Wood Putty b. Aqua enamel c. Wood Timber Primer d. Wood Spot Putty d. Fill all cracks and holes - Fill all cracks and holes - water based 100% acrylic quick dry enamel c. Wood Timber Primer d. Wood Spot Putty d. Fill all minor surface imperfections for woods s. A OTHERS a. Roof Paint d. Wood Spot Putty b. Waterproofing d. Wood Spot Putty b. Waterproofing d. Wood Spot Putty d. Fill all minor surface imperfections for woods d. Wood Spot Putty d. Fill all minor surface imperfections for woods d. Wood Spot Putty d. Fill all minor surface imperfections for woods d. A OTHERS d. Roof Paint d. Wood Spot Putty d. Fill all minor surface imperfections for woods d. Wood Spot Putty d. Fill all minor surface imperfections for woods d. Fill all minor surface imperfections for woods d. Glass Stickers d. Follow of the wind woods d. Fill all minor surface imperfections for the dequivalent Davies or approved equivalent Davies or ap	a. Flat Wall Enamel	- apply 2 coats flat wall enamel	- Davies Flatwall Enamel or
b. Ficem Board Putty 5.2 DOORS, IAMB,CABINETS a. Wood Putty b. Aqua enamel c. Wood Timber Primer d. Wood Spot Putty 5.4 OTHERS a. Roof Paint b. Waterproofing b. Waterproofing c. Water Proofing b. Acrylic Signage c. Water Closet with seat cover and Lavatory Wall Lung(semi pedestal) with complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories d. Kitchen Sink with complete fittings and accessories d. Kitchen Sink with complete fittings and accessories d. Fill all minor surface imperfections for woods apply 2-3 coats roof pait of desired sheen by brush, roller or spray apply 2-3 coats of cementitious by brush, roller or spray apply 2-3 coats of cementitious waterproofing system - Frosted Vinyl Sticker (see detailed plan) - X' thk. Acrylic backing - Frosted Vinyl Sticker (see detailed plan) - X' thk. Acrylic backing - Peck Simplicity FL Premier Suite P2353 - American Standard or approved equivalent - Power and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve - AMSD/Urinal - mini washbrook white with strainer and flush valve. - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 166mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - Flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type - Meco Brand or approved equivalent - Meco Brand or approved equival		apply 2 sould have man emanner	
boles - Wood Putty - Fill all cracks and holes - Water based 100% acrylic quick dry enamel - Wood Spot Putty - Fill all minor surface imperfections for woods - Powles or approved equivalent - Davies or approved equivalent - Davies or approved equivalent - Davies or approved equivalent - Powermix by Bostik or approved equivalent - Powermix by Bostik or approved equivalent - Powermix by Bostik or approved equivalent - Fill all cracks and holes - Foll surface imperfections for woods - Foll surface imperfections for woods - Davies or approved equivalent - Davies or approved equivalent - Powermix by Bostik or approved equivalent - Powermix by Bostik or approved equivalent - Submit sample for approval - Submit sample for approval - American Standard or approved equivalent - Meco Brand or approved equivalent - Meco	b. Ficem Board Putty	- Jointing compound/ Fill all cracks and	• •
a. Wood Putty b. Aqua enamel c. Wood Timber Primer d. Wood Spot Putty - Fill all minor surface imperfections for woods 5.4 OTHERS a. Roof Paint b. Waterproofing - apply 2-3 coats roof pait of desired sheen by brush, roller or spray - apply 2-3 coats of cementitious waterproofing system 6. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage - Pok Simplicity FL Premier Suite P2353 - American Standard or approved equivalent - Pck Simplicity FL Premier Suite P2353 - American Standard or approved equivalent - Amtop Value b. Urinal with Push Valve c. Kitchen Sink with complete accessories (tissue holder, faucet, ptrap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories - Fink Strainer and P-trap brass type - flexible hose (½ x ½ 8rass Type) - flexible hose (½ x ½ 8rass Type) - flexible hose (½ x ½ 8rass Type) - Floor Drain - A"X4" stainless steel floor drain with detachable strainer - Pyc Pipe Series 1000 - 4" PVC Pipe Series 1000 - For jointing pipes and fittings - For view of pairs of approved equivalent - Davies or approved equivalent - Powermix by Bostik or approved equivalent - American Standard or approved equivalent - American Standard or approved equivalent - Meco Brand rapproved equivalent - Meco Brand rapproved equivalent - Meco Br	,	holes	
b. Aqua enamel c. Wood Timber Primer d. Wood Spot Putty 5.4 OTHERS a. Roof Paint b. Waterproofing c. Waterproofing 6. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, p- trap, pop-up drain, angle valve (p. fexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories sitcher sink with complete fittings and accessories 4. AMSD/Urinal - mini washbrook white with strainer and flush valve. c. Kitchen Sink with complete fittings and accessories sitchen Lever and Lavatory Wall - C. Kitchen Sink with complete fittings and accessories sitchen Sink sind with complete fittings and accessories sitchen Sink with complete fittings and accessories sitchen Sink with complete fittings and accessories sitchen Sink sink sink with complete fittings - Fiexble hose (½ x ½ Stainless Steel) - Fiexble foor approved equivalent - Meco Brand or approved equivalent - Meco Brand Heavy Duty - Metex or approved -	5.2 DOORS, JAMB, CABINETS		
b. Aqua enamel c. Wood Timber Primer d. Wood Spot Putty 5.4 OTHERS a. Roof Paint b. Waterproofing b. Waterproofing c. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage 7. PLUMBING and SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories c. Kitchen Sink with complete fittings and complete fittings	a. Wood Putty	-Fill all cracks and holes	- Davies or approved
c. Wood Timber Primer d. Wood Spot Putty - Fill all minor surface imperfections for woods 5.4 OTHERS a. Roof Paint by Brush, roller or spray - apply 2-3 coats of cementitious waterproofing system 6. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage - Frosted Vinyl Sticker (see detailed plan) b. Acrylic Signage - Frosted Vinyl Sticker (see detailed plan) b. Acrylic Signage - Pck Simplicity FL Premier Suite P2353 WT601 white WT601 white - American Standard or approved equivalent with strainer and flush valve. c. Kitchen Sink with complete fittings and accessories (tissue holder, faucet, pran, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve - AMSD/Urinal - mini washbrook white with strainer and flush valve. c. Kitchen Sink with complete fittings and accessories - Fitchen faucet (movable gooseneck type with lever knob) - angle valve (% x % Brass Type) - flexible hose (% x % Stainless Steel) - Sink Strainer and P-trap brass type - Floor Drain - X" PPR Pipe PN10 - YeV Pipe Series 1000 - YeV Pipe Series 1000 - YeV Pipe Series 1000 - Veltex or approved equivalent - Davies or approved equivalent - Powermix by Bostik or approved equivalent - Submit sample for approval - submit sample			equivalent
c. Wood Spot Putty d. Wood Spot Putty - Fill all minor surface imperfections for woods a. Roof Paint a. Roof Paint b. Waterproofing - apply 2-3 coats roof pait of desired sheen by brush, roller or spray - apply 2-3 coats of cementitious waterproofing system 6. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage - Frosted Vinyl Sticker (see detailed plan) b. Acrylic Signage - Frosted Vinyl Sticker (see detailed plan) b. Acrylic Signage - Pck Simplicity FL Premier Suite P2353 Complete accessories (tissue holder, faucet, prapp. pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories fittings and Exit Paint accessories - Frosted Vinyl Sticker (see detailed plan) - W the Acrylic backing - Pck Simplicity FL Premier Suite P2353 - American Standard or approved equivalent - American Standard or approved equivalent - American Standard or approved equivalent - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - "%" PPR Pipe—PN10 - Netex or approved equivalent - US Brand or approved equivalent - Weco Brand or approved equivalent - Meco Brand or approved equivalent - Weco Brand or approved equivalent - Netex or approved equivalent - US Brand Heavy Duty - Netex or approved equivalent - Netex or approved - Reco Brand or approved - Reco B	b. Aqua enamel	- water based 100% acrylic quick dry	- Davies or approved
d. Wood Spot Putty - Fill all minor surface imperfections for woods 5.4 OTHERS a. Roof Paint by brush, roller or spray - apply 2-3 coats of cementitious waterproofing by brush, roller or spray - apply 2-3 coats of cementitious waterproofing system 6. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage 7. PLUMBING and SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lawtory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, ptrap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve - AMSD/Urinal - mini washbrook white with strainer and flush valve. c. Kitchen Sink with complete fittings and accessories - AMSD/Urinal - mini washbrook white with strainer and flush valve. c. Kitchen Sink with complete fittings and accessories - AMSD/Urinal - mini washbrook white with strainer and flush valve. - Crown YH626C (YH212D) single bowl, single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings b. Floor Drain - X" PPR Pipe—PN10 - V" PPR Pipe—PN10 - Neltex or approved equivalent - US Brand Heavy Duty - Neltex or approved equivalent - US Brand Heavy Duty - Neltex or approved equivalent - Neltex or approved - Revision approved equivalent - Neltex or approved - Revision approved - Neltex or approved - Revision approved - Revision approved - Revision approved - Neltex or approved - Revision approved - Revision approved - Revision approved - Neltex or approved - Revision approved - Revision approved - Neltex or approved - Revision ap			· ·
d. Wood Spot Putty 5.4 OTHERS a. Roof Paint b. Waterproofing b. Waterproofing c. apply 2-3 coats roof pait of desired sheen by brush, roller or spray - apply 2-3 coats of cementitious waterproofing system 6. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage 7. PLUMBING and SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, prrap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories - Fittings and accessories - Fittings and service with seat cover and Lavatory Wall Hung(semi pedestal) with complete fittings and accessories - Fittings and service with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories - Fittings and service with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories - Fittings and service with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories - Fittings and service with seat cover and Lavatory Wall Hung(semi pedestal) with complete fittings and accessories - Folior Marcol Wall Hung(semi pedestal) with complete fittings and accessories - Folior Pain - A"X" PRP Pipe PN10 - Filox Strainer and P-trap brass type - Meco Brand or approved equivalent - M	c. Wood Timber Primer	- acrylic water based wood primer	
s. 4 OTHERS a. Roof Paint b. Waterproofing c. apply 2-3 coats roof pait of desired sheen by brush, roller or spray c. apply 2-3 coats of cementitious waterproofing system c. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage c. Arrylic Signage cover and Lavatory Wall Hung(semi pedestal) with complete accessories clessed holder, faucet, prapa, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories c. Kitchen Sink with complete fittings and scale valve (½ x ½ ½ Brass Type) c. Flexible hose (½ x ½ ½ Stainless Steel) c. Fink Strainer and P-trap brass type c. Sink Strainer and P-trap brass type c. With Coordinate the quivalent c. With Strainer and P-trap brass type c. Sink Strainer and P-trap bra			•
5.4 OTHERS a. Roof Paint apply 2-3 coats roof pait of desired sheen by brush, roller or spray b. Waterproofing - apply 2-3 coats of cementitious waterproofing system 6. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage 7. PLUMBING and SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories fittings and accessories fittings and accessories fittings and accessories - AMSD/Urinal - mini washbrook white with strainer and flush valve. - AMSD/Urinal - mini washbrook white with strainer and flush valve. - American Standard or approved equivalent - American Standard or approved equivalent - American Standard or approved equivalent - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type - Meco Brand or approved equivalent - Meco Brand or approved	d. Wood Spot Putty	·	• •
a. Roof Paint by brush, roller or spray b. Waterproofing - apply 2-3 coats of cementitious apply 2-3 coats of cementitious by brush, roller or spray apply 2-3 coats of cementitious activate proofing system - apply 2-3 coats of cementitious activate proofing system - apply 2-3 coats of cementitious activate proofing system - apply 2-3 coats of cementitious activate proofing system - apply 2-3 coats of cementitious activate proofing system - apply 2-3 coats of cementitious activate proofing system - approved equivalent - Frosted Vinyl Sticker (see detailed plan) - A't k. Acrylic backing - submit sample for approval - American Standard or approved equivalent - Meco Brand or approved equivalent - Meco Brand or approved equivalent - Meco Brand or	E 4 OTHERS	woods	equivalent
b. Waterproofing - apply 2-3 coats of cementitious waterproofing system 6. SECIALTY WORKS a. Glass Stickers b. Acrylic Signage 7. PLUMBING and SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(sem) pedestal) with complete accessories (tissue holder, faucet, prape, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories 4. Kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - Floor Drain 7. 2 WATER a. Piping and Fittings - 4"X4" stainless steel floor drain with detachable strainer - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - For jointing pipes and fittings - Fosted Vinyl Sticker (see detailed plan) - submit sample for approval - American Standard or approved equivalent - American Stan		annly 2.2 coats roof nait of desired shoon	Davies or approved
6. SECIAITY WORKS a. Glass Stickers b. Acrylic Signage 7. PLUMBING and SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, ptrap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories 4. Kitchen Sink with complete fittings and accessories 5. Frosted Vinyl Sticker (see detailed plan) - %' thk. Acrylic backing - Pck Simplicity FL Premier Suite P2353 - American Standard or approved equivalent - Pck Simplicity FL Premier Suite P2353 - American Standard or approved equivalent - Pck Simplicity FL Premier Suite P2353 - American Standard or approved equivalent - Comm YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Flexible hose (½ x ½ Stainless Steel) - Floor Drain - ½" PPR Pipe PN10 - A"X4" stainless steel floor drain with detachable strainer 7.3 SEWER - PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - For jointing pipes and fittings - Neltex or approved equivalent	a. Nooi Failit		
### American Standard or approved equivalent ### American Standard	h Waterproofing		· ·
a. Glass Stickers b. Acrylic Signage 7. PLUMBING and SANITARY WORKS 7. 1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, ptrap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories c. Kitchen Sink with complete fittings accessories c. AMSD/Urinal - mini washbrook white with strainer Sink Genma accessories c. American S	S. Waterprooming	117	· · · · · · · · · · · · · · · · · · ·
b. Acrylic Signage - %' thk. Acrylic backing - submit sample for approval 7. PLUMBING and SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, ptrap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories c. Kitchen Sink with - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings b. Floor Drain - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - For jointing pipes and fittings - Neltex or approved equivalent - Neltex or approved - Neltex or approved - Neltex or approved	6. SECIALTY WORKS	8 - 7	
b. Acrylic Signage - %' thk. Acrylic backing - submit sample for approval 7. PLUMBING and SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, ptrap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories c. Kitchen Sink with - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings b. Floor Drain - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - For jointing pipes and fittings - Neltex or approved equivalent - Neltex or approved - Neltex or approved - Neltex or approved		- Frosted Vinyl Sticker (see detailed plan)	- submit sample for approval
SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories - AMSD/Urinal - mini washbrook white with strainer and flush valve. - AMSD/Urinal - mini washbrook white with strainer and flush valve. - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings b. Floor Drain - W" PPR Pipe— PN10 - A"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 6r jointing pipes and fittings - American Standard or approved equivalent - Mecon Brand or approved equivalent - Meco Brand or approved equivalent	b. Acrylic Signage		
SANITARY WORKS 7.1 FIXTURE & KITCHEN SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories - AMSD/Urinal - mini washbrook white with strainer and flush valve. - AMSD/Urinal - mini washbrook white with strainer and flush valve. - Crown YH626C (YH212D) single bowl, ringle hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings b. Floor Drain - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings b. PVC Pipe Cement - Pck Simplicity FL Premier Suite P2353 - American Standard or approved equivalent - Mecount or approved equivalent - Meco Brand or approved equivalent	7. PLUMBING and		
SINK a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings b. Floor Drain 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" VC Pipe Series 1000 - 4" PVC Pipe Cement - American Standard or approved equivalent - Meco Brand or approved equivalent - Neltex or approved equivalent			
a. Water Closet with seat cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories kitchen Sink with complete fittings and accessories - AMSD/Urinal - mini washbrook white with strainer and flush valve. - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - Y" PPR Pipe— PN10 - Weco Brand or approved equivalent - Meco	7.1 FIXTURE & KITCHEN		
cover and Lavatory Wall Hung(semi pedestal) with complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings b. Floor Drain - 4"X4" stainless steel floor drain with detachable strainer - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 6 ro jointing pipes and fittings - Neltex or approved equivalent - Neltex or approved	SINK		
Hung(semi pedestal) with complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories 4 AMSD/Urinal - mini washbrook white with strainer and flush valve. - American Standard or approved equivalent - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - ½" PPR Pipe—PN10 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - For jointing pipes and fittings - Neltex or approved equivalent - Neltex or approved	a. Water Closet with seat	- Pck Simplicity FL Premier Suite P2353	- American Standard or
complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories - AMSD/Urinal - mini washbrook white with strainer and flush valve. - American Standard or approved equivalent - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - ½" PPR Pipe—PN10 - Neltex or approved equivalent - Wes Brand or approved equivalent - Meco Brand or ap	cover and Lavatory Wall	WT601 white	approved equivalent
tissue holder, faucet, p- trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings b. Floor Drain - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - for jointing pipes and fittings - Neltex or approved equivalent - Neltex or approved	Hung(semi pedestal) with		
trap, pop-up drain, angle valve, flexible hose) b. Urinal with Push Valve c. Kitchen Sink with complete fittings and accessories - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - ½" PPR Pipe—PN10 - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Cement - American Standard or approved equivalent - Crown Sink or approved equivalent - Meco Brand or approved equivalent - Meco Brand or approved equivalent - Neltex or approved	1		
b. Urinal with Push Valve - AMSD/Urinal - mini washbrook white with strainer and flush valve. c. Kitchen Sink with complete fittings and accessories - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - ½" PPR Pipe—PN10 - A"X4" stainless steel floor drain with detachable strainer - Ver Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - for jointing pipes and fittings - Neltex or approved equivalent	T		
b. Urinal with Push Valve with strainer and flush valve. c. Kitchen Sink with complete fittings and accessories - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type - Meco Brand or approved equivalent			
c. Kitchen Sink with complete fittings and accessories - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - Meco Brand or approved equivalent - flexible hose (½ x ½ Stainless Steel) - Meco Brand or approved equivalent - flexible hose (½ x ½ Stainless Steel) - Meco Brand or approved equivalent - Sink Strainer and P-trap brass type - Meco Brand or approved equivalent - Sink Strainer and P-trap brass type - Meco Brand or approved equivalent - Meco Brand	valve, flexible nose)		
c. Kitchen Sink with complete fittings and accessories - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - Meco Brand or approved equivalent - flexible hose (½ x ½ Stainless Steel) - Meco Brand or approved equivalent - flexible hose (½ x ½ Stainless Steel) - Meco Brand or approved equivalent - Sink Strainer and P-trap brass type - Meco Brand or approved equivalent - Sink Strainer and P-trap brass type - Meco Brand or approved equivalent - Meco Brand	h Urinal with Buch Valvo	AMSD/Hrinal mini washbrook white	American Standard or
c. Kitchen Sink with complete fittings and accessories - Crown YH626C (YH212D) single bowl, single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - ½" PPR Pipe— PN10 - Neltex or approved equivalent - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - for jointing pipes and fittings - Neltex or approved equivalent - Neltex or approved	b. Offilal With Push valve		
single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - ½" PPR Pipe— PN10 - A"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - for jointing pipes and fittings - Neltex or approved equivalent - Neltex or approved		with strainer and hush valve.	approved equivalent
single hole stainless steel (446mm x 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - flexible hose (½ x ½ Stainless Steel) - flexible hose (½ x ½ Stainless Steel) - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - ½" PPR Pipe— PN10 - A"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - for jointing pipes and fittings - Neltex or approved equivalent - Neltex or approved	c. Kitchen Sink with	- Crown YH626C (YH212D) single bowl.	- Crown Sink or approved
accessories 440mm x 160mm) Satin Finish - kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - Meco Brand or approved equivalent - flexible hose (½ x ½ Stainless Steel) - Meco Brand or approved equivalent - Sink Strainer and P-trap brass type 7.2 WATER a. Piping and Fittings - ½" PPR Pipe—PN10 - Neltex or approved equivalent - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 - For jointing pipes and fittings - Neltex or approved		· · · · · · · · · · · · · · · · · · ·	
- kitchen faucet (movable gooseneck type with lever knob) - angle valve (½ x ½ Brass Type) - Meco Brand or approved equivalent - flexible hose (½ x ½ Stainless Steel) - Meco Brand or approved equivalent	_	= :	
with lever knob) - angle valve (½ x ½ Brass Type) - Meco Brand or approved equivalent - flexible hose (½ x ½ Stainless Steel) - Meco Brand or approved equivalent - Neltex or approved equivalent - Neltex or approved equivalent - Neltex or approved - 4" PVC Pipe Series 1000 - Neltex or approved - A" PVC Pipe Cement - Neltex or approved			- Meco Brand or approved
equivalent - flexible hose (½ x ½ Stainless Steel) - Meco Brand or approved equivalent - Neltex or approved equivalent - Neltex or approved equivalent - US Brand Heavy Duty - Neltex or approved - A" PVC Pipe Series 1000 - Neltex or approved equivalent - Or jointing pipes and fittings - Neltex or approved - Neltex or approved - Neltex or approved		with lever knob)	equivalent
- flexible hose (½ x ½ Stainless Steel) - Meco Brand or approved equivalent - Sink Strainer and P-trap brass type - Meco Brand or approved equivalent - Neltex or approved equivalent - Neltex or approved equivalent - US Brand Heavy Duty - Neltex or approved - A" PVC Pipe Series 1000 - Neltex or approved - A" PVC Pipe Series 1000 - Neltex or approved - A" PVC Pipe Series 1000 - Neltex or approved - Neltex or approved		- angle valve (½ x ½ Brass Type)	- Meco Brand or approved
- Sink Strainer and P-trap brass type - Meco Brand or approved equivalent - Meco Brand or approved equivalent - Neltex or approved equivalent - 4"X4" stainless steel floor drain with detachable strainer - 2" PVC Pipe Series 1000 - Neltex or approved equivalent - Neltex or approved - 4" PVC Pipe Series 1000 - Neltex or approved - 4" PVC Pipe Series 1000 - Neltex or approved			· ·
- Sink Strainer and P-trap brass type - Meco Brand or approved equivalent 7.2 WATER a. Piping and Fittings - ½" PPR Pipe— PN10 - Neltex or approved equivalent 5. Floor Drain - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 b. PVC Pipe Cement - for jointing pipes and fittings - Neltex or approved - Neltex or approved		- flexible hose (½ x ½ Stainless Steel)	• •
7.2 WATER a. Piping and Fittings - ½" PPR Pipe— PN10 - Neltex or approved equivalent - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 b. PVC Pipe Cement - for jointing pipes and fittings - Neltex or approved - Neltex or approved - Neltex or approved			· ·
7.2 WATER a. Piping and Fittings - ½" PPR Pipe— PN10 - Neltex or approved equivalent - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 b. PVC Pipe Cement - for jointing pipes and fittings - Neltex or approved - Neltex or approved		- Sink Strainer and P-trap brass type	• •
a. Piping and Fittings - ½" PPR Pipe— PN10 - Neltex or approved equivalent - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - Neltex or approved - 4" PVC Pipe Series 1000 b. PVC Pipe Cement - for jointing pipes and fittings - Neltex or approved - Neltex or approved - Neltex or approved	7.2.14/4750		equivalent
b. Floor Drain - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 b. PVC Pipe Cement - 4" VC Pipe Series 1000 - Neltex or approved equivalent - Neltex or approved - Neltex or approved		1/" DDD Ding DN10	Noltay or approved
b. Floor Drain - 4"X4" stainless steel floor drain with detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 b. PVC Pipe Cement - for jointing pipes and fittings - US Brand Heavy Duty - Neltex or approved equivalent - Neltex or approved	a. Piping and Fittings	- /2 PPK PIPE— PINTO	I
detachable strainer 7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 b. PVC Pipe Cement - for jointing pipes and fittings - Neltex or approved - Neltex or approved - Neltex or approved	h Floor Drain	- 4"X4" stainless steel floor drain with	· ·
7.3 SEWER a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 b. PVC Pipe Cement - for jointing pipes and fittings - Neltex or approved - Neltex or approved	S. Floor Drain		33 Brana fieavy Buty
a. Piping and Fittings - 2" PVC Pipe Series 1000 - 4" PVC Pipe Series 1000 b. PVC Pipe Cement - for jointing pipes and fittings - Neltex or approved - Neltex or approved	7.3 SEWER	actionable strainer	
b. PVC Pipe Cement - 4" PVC Pipe Series 1000 equivalent - for jointing pipes and fittings - Neltex or approved		- 2" PVC Pipe Series 1000	- Neltex or approved
b. PVC Pipe Cement - for jointing pipes and fittings - Neltex or approved			I
equivalent	b. PVC Pipe Cement		-
			equivalent



8. ELECTRICAL WORKS		
a. Electrical Wire	- 3.5mm² THHN/THWN stranded wire	- Phelps Dodge or approved
	- 5.5mm ² THHN/THWN stranded wire	equivalent
b. PVC Conduit	- 20mmØ PVC Pipe	- Neltex or approved equivalent
c. Utility Box	- 2"x4" Deep Type ,	- GA #18 metal or approved equivalent
d. Junction Box	- 4"x4" Surface Type with cover,	- GA #18 metal or approved equivalent
e. Lighting Fixture	- Troffer type lighting fixture, size (1200x600)mm	- submit sample for approval
f. Switches and Outlets	- Flush type, complete with plate and cover	- Panasonic or approved equivalent
9. STRUCTURED CABLING		
WORKS		
a. CAT 5e	- 4 pair UTP cable, Stranded, 305m	- submit sample for approval
b. Ethernet Wall Plate	- 2port, RJ45	- submit sample for approval

Materials and work deemed necessary to complete the project but not specifically mentioned in the Specification, working drawings or in the other contract documents are inferred and shall be supplied, installed and rendered by the contractor without extra cost to the owner. Such materials shall be of the highest quality available, installed and applied in workmanlike manner at prescribe or appropriate locations.

A. WORKMANSHIP

The work throughout shall be executed in the best and most thorough manner under the direction of and the satisfaction of the SSS Engineer or Representative who will interpret the meaning of the drawings and shall have the authority to reject any works and materials, which in their judgement, are not in full accordance therewith.

B. SITE EXAMINATION

Prospective bidders are required to conduct site inspection to determine all incidental, materials and activities that are necessary to be furnished and executed to complete the project. Examine the site premises and all condition apparent and visible therein. Consider all such conditions that may affect work. Measure every existing work/structure at site. Verify all given dimensions and deviations in the plans/drawings and Bill of Quantities. It shall be understood that the work covers all exposed external surfaces regardless of measurements made.

C. PROTECTION OF WORK AND PROPERTY

The contractor shall ensure the protection of existing structures from damage. Should damage be done, the contractor shall have full responsibility on the restoration or replacement of the same. Place warning signs where work is being undertaken. Remove work materials damaged by failure to provide protection. Replace with new work materials at no extra cost to the Owner.

D. SUBMITTALS

The Contractor shall submit samples of finishes, furnished materials and equivalent materials for approval by the Engineering and Maintenance Department prior to installation/application.

E. CLEANING

Leave premises clean, neat and orderly. Remove all stains, spots, blemishes, soil dirt from all finished work. Remove all excess materials, tools, equipment and supplies out of the SSS premises during the progress of work and upon completion of work.

F. WARRANTY

The liability period of the Project shall be one (1) year from the Contract Completion up to the Final Acceptance by the SSS. During this period, the Contractor shall, at his own expense, undertake the repair works of any damage to the project on account of the use of materials of inferior quality within ninety (90) days from the time the SSS has issued an order to undertake repair.



Project : RETILING OF MSS WAITING AREA AND STAIRCASE AT SSS DAU BRANCH
Location : G/F & 2/F, Puregold Dau Building., McArthur Highway, Dau, Mabalacat City,

Pampanga Subject: SCOPE OF WORKS and MATERIAL SPECIFICATIONS

Date : June 9, 20

I. SCOPE OF WORKS

The work contemplated under this contract shall consist of furnishing of all materials, labor, tools and equipment, permits including the satisfactory performance of all work necessary for the complete execution of the plans, specification and other contract documents. The following are the scope of works.

12. GENERAL REQUIRMENTS

12.1 Mobilization and Demobilization

13. SITE PREPARATION

- 13.1 Movement of affected furniture.
- 13.2Removal of existing Vinyl Tiles.
- 13.3 Hauling and Disposal of Debris and Waste Materials.

14. ARCHITECTURAL FINISHES

- 14.1Levelling and Grouting of uneven floor finished using Portland cement and sand mixture.
- 14.2Installation of 600mmX600mm Polished Synthetic Granite Tiles using Tile Adhesive for the MSS waiting area. (see plans for details)
- 14.3Installation of 600mmX600mm Polished Synthetic Granite Tiles using Tile Adhesive for the stair and second floor landing. (see plans for details)
- 14.4Installation of 300mmX600mm Non-Skid Synthetic Granite Tiles using Tile Adhesive for the stair Tread and Riser. (see plans for details)
- 14.5Installation of aluminum stair nosing. (see plans for details)
- 14.6Provide ramp at the main entrance door and 2nd floor area. (see plans for details)

15. GLASS DOORS, GLASS PANELS and DRYWALL PARTITION

- 15.1Removal, Repairs and Reinstallation of Glass Doors Main Door and Self-Service Express terminal Door (lift up and adjustment of transom door)
- 15.2Replacement defective necessary fitting, lockset and accessories to complete the reinstallation of glass doors.
- 15.3Removal and Repair of Glass Panels at the Second Floor level.
- $15.4 In stallation\ of\ drywall\ partition\ using\ steel\ framing\ and\ fiber\ cement\ board.$

16. PAINTING WORKS

- 16.1Application of cementitious waterproofing for the exterior part of drywall.
- 16.2Painting of the newly installed drywall partition including base paint.
- 16.3Re-painting of affected wall from the retiling.

II. MATERIAL SPECIFICATION

PARTICULARS	DESCRIPTION	REMARKS
ARCHITECTURAL WORKS a. Polished Synthetic Granite Tiles b. Non-Slid Synthetic Granite	 600mmX600mm, Polished Synthetic Granite Tiles 300mmX600mm, Polished Synthetic Granite Tile 	- Basel ivory or approved equivalent - Basel ivory or approved
Tiles	- 25kgs./bag	equivalent
b. Tile Adhesive	- 2kgs./bag	- ABC Tile Adhesive or approved equivalent
c. Tile Grout d. Portland Cement	- ASTM C 150 type 1 normal Portland cement in 40 kg	- ABC Tile Grout or approved equivalent- Holcim or approved equivalent
2. DRYWLL PARTITION a. Fiber Cement Board b. Metal Studs c. Metal Tracks	- 4.5mm thk76mmX50mmX0.80mm thk. (3.0m length) -76mmX50mmX0.80mm thk. (3.0m length)	- Hardieflex by James Hardie - JEA MAXX by JEA Steel - JEA MAXX by JEA Steel
3. PAINTING WORKS a. Primer Latex	- apply 2 coats flat latex primer	- Davies Primer Latex or approved equivalent



b. Semi-Gloss Latex	- apply 2-3 coats semi-gloss latex for final	- Davies MCS Semi-gloss
	coating of desired sheen by brush or	Latex Ready Mix) or
c. Masonry Putty	roller	approved equivalent
	- Fill all cracks and holes	- Davies Masonry Putty or
d. Waterproofing	- Fill all minor surface imperfections	approved equivalent
	-apply 2-3 coats of cementitious	- Powermix by Bostik or
	waterproofing system	approved equivalent

Materials and work deemed necessary to complete the project but not specifically mentioned in the Specification, working drawings or in the other contract documents are inferred and shall be supplied, installed and rendered by the contractor without extra cost to the owner. Such materials shall be of the highest quality available, installed and applied in workmanlike manner at prescribe or appropriate locations.

G. WORKMANSHIP

The work throughout shall be executed in the best and most thorough manner under the direction of and the satisfaction of the SSS Engineer or Representative who will interpret the meaning of the drawings and shall have the authority to reject any works and materials, which in their judgement, are not in full accordance therewith.

H. SITE EXAMINATION

Prospective bidders are required to conduct site inspection to determine all incidental, materials and activities that are necessary to be furnished and executed to complete the project. Examine the site premises and all condition apparent and visible therein. Consider all such conditions that may affect work. Measure every existing work/structure at site. Verify all given dimensions and deviations in the plans/drawings and Bill of Quantities. It shall be understood that the work covers all exposed external surfaces regardless of measurements made.

I. PROTECTION OF WORK AND PROPERTY

The contractor shall ensure the protection of existing structures from damage. Should damage be done, the contractor shall have full responsibility on the restoration or replacement of the same. Place warning signs where work is being undertaken. Remove work materials damaged by failure to provide protection. Replace with new work materials at no extra cost to the Owner.

J. SUBMITTALS

The Contractor shall submit samples of finishes, furnished materials and equivalent materials for approval by the Engineering and Maintenance Department prior to installation/application.

K. CLEANING


Leave premises clean, neat and orderly. Remove all stains, spots, blemishes, soil dirt from all finished work. Remove all excess materials, tools, equipment and supplies out of the SSS premises during the progress of work and upon completion of work.

L. WARRANTY


The liability period of the Project shall be one (1) year from the Contract Completion up to the Final Acceptance by the SSS. During this period, the Contractor shall, at his own expense, undertake the repair works of any damage to the project on account of the use of materials of inferior quality within ninety (90) days from the time the SSS has issued an order to undertake repair.




Section VII. Drawings







































phil






























phil




































GENERAL NOTES

- ALL ELECTRICAL WORKS HEREIN SHALL BE DONE IN ACCORDANCE WITH THE PROVISIONS OF THE LATEST EDITION OF THE PHILIPPINE ELECTRICAL CODE (PEC), LAWS AND ORDINANCES OF THE LOCAL CODE ENFORCING AUTHORITIES AND REQUIREMENT OF THE LOCAL POWER AND TELEPHONE COMPANY.
- 2. SERVICE POWER SHALL BE 230 VOLTS, 3¢, 4 WIRES, 60HZ.
- SMALLEST BRANCH CIRCUIT WIRE SHALL BE 3.5 MM² THHN FOR POWER AND LIGHTING AND SHALL BE INSULATED FOR 600 VOLTS.
- WHENEVER NECESSARY PROVIDE PULL BOX OF PROPER SIZE AND DIMENSION ALTHOUGH NOT INDICATED IN THE PLAN.
- ALL BRANCH CIRCUIT SHALL BE INSTALLED AS INDICATED IN THE PLAN, INDIMOUAL BRANCH CIRCUIT HOMERUNS SHALL NOT BE COMBINED IN THE SAME CONDUIT.
- ALL SWITCHES, PANELBOARDS, LIGHTING FIXTURES AND ALL NON-CURRENT CARRYING METAL PARTS SHALL BE PROPERLY GROUNDED IN ACCORDANCE WITH THE LATEST EDITION OF THE PEC.
- ROUGHING-IN CONDUITS SHALL BE OF APPROVED TYPE AND APPLICATION, RSC EXPOSED, IMC AND PVC FOR LATERAL AND EMBEDDED LAYOUT.
- THE ELECTRICAL CONTRACTOR IS REQUIRED TO VISIT AND SURVEY THE SITE TO ASCERTAIN THE LOCAL CONDITION THAT MAY AFFECT THE IMPLEMENTATION OF THE PROJECT.
- ALL AREA AFFECTED BY THE CHIPPING/REMOVAL WORKS SHALL BE PATCHED OR RESTORED TO ITS ORIGINAL AESTHETIC CONDITION.
- MOUNTING HEIGHTS SHALL BE AS FOLLOWS:

 SWITCHES
 -- 1.40 m ABOVE FINISHED FLOOR

 CONVENIENCE OUTLETS
 -- 0.30 m ABOVE FINISHED FLOOR

 PANELBOARD
 -- 1.40 m ABOVE FINISHED FLOOR

 COUNTERTOP
 -- 0.15 m ABOVE COUNTERTOP

 ALL ELECTRICAL WORKS HEREN SHALL BE DONE UNDER THE SUPERVISION OF DULY LICENSED ELECTRICAL ENGINEER OR MASTER ELECTRICIAN.

SYMBOLS & LEGEND:

DUPLEX CONVENENCE OUTLET, 3 PRONG, PARALLEL SLOT WITH GROUND, 15A, 2P, 230V BY NORWAL POWER IN FLUSH MOUNTED TYPE WITH BEIGE PLATE COVER

DUPLEX CONVENENCE OUTLET, 3 PRONG, PARALLEL SLOT WITH GROUND, 15A, 2P, 230V BY UPS POWER IN FLUSH MOUNTED TYPE WITH OFF-WHITE PLATE COVER

BOX TYPE COVE LIGHTING, LED LIGHTING FIXTURE WITH T8, 1X18W LED TUBE, AT 100 LUMENS/WATT (MIN), 2160 LUMENS (MIN), 40,000 BURNING HOURS (MIN), COOL DAYLIGHT, 300 DEG. BEAM (MIN) ANGLE AND CIRCUIT WIRING BOX TYPE COVE LIGHTING. LED LIGHTING FIXTURE WITH T8. 1X8W LED TUBE, AT 100 LUMENS/WATT (MIN), 1080 LUMENS

- (MIN), 40,000 BURNING HOURS (MIN), COOL DAYLIGHT, 300 DEG. BEAM (MIN) ANGLE AND CIRCUIT WIRING
- (600X600)MM RECESSED TYPE LIGHTING FIXTURE (EXISTING)
- LUMINAIRE HOUSING: \$18 THCK SHEET METAL PAINTED WITH ENAMEL OR EPOXY, WITH SNAP OR PUSH BUTTON STAINLESS CLIP FOR LOUVER AND BI-PIN END HOLDER, PRE-MIRED WITH 22MM STRANDED WIRE
- REFLECTOR: ANODIZED SPECULAR ALLIMINUM FINISH WITH PINHOLES FOR LOCKING SYSTEM, 0.4MM THICKNESS
 LOLVER: SEMI-SPECULAR OR MULTI-LINE SATIN FINISH, ANODIZED ALLIMINUM LOLVER, DEEP CELL LOLVER (GLARING CANCELLATION EFFECT)
- LED LINEAR TUBE: 2 X TB, 9W, 1080 LUMENS WITH BULT-IN DRIVER, BI-PIN TERMINAL, 200-250VAC, 60HZ, 30,000 BURNING HOURS, CRI >85 (MIN), 140 DEG. BEAM ANGLE

150MM DIAMETER DOWNLIGHT FIXTURE, WHITE PAINTED HOUSING WITH 0.4MM SPECULAR FINISH ANDDIZED ALJIMNUM WITH 12MATTS LED BULB, 70 LUMENS/WATT (MIN), SEMI—FROSTED GLASS COVER AND WHITE MODINTING RING

2 X 3WATTS (MINIMUM) LED EMERGENCY LIGHT, 230V, 4AH MIN., WITH SEALED LITHIUM—ION BATTERY AND C.O. 56 WATTS (INSMINUM) EXHAUST FAX, CELLING MOUNTED WITH C.O. AND MALE PLUG

22 WATTS (minimum) TRANSFER FAN, CELLING MOUNTED WITH C.O AND MALE PLUG

DISTRIBUTION PANEL

ONE GANG SWITCH, SINGLE POLE 15A, 250V FLUSH TYPE (NATIONAL/PANASONIC BRAND OR APPROVED EQUIVALENT)
TWO GANG SWITCH, SINGLE POLE 15A, 250V FLUSH TYPE (NATIONAL/PANASONIC BRAND OR APPROVED EQUIVALENT)
THREE GANG SWITCH, SINGLE POLE 15A, 250V FLUSH TYPE (NATIONAL/PANASONIC BRAND OR APPROVED EQUIVALENT)
THREE WAY—TWO GANG SWITCH, SINGLE POLE 15A, 250V FLUSH TYPE (NATIONAL/PANASONIC BRAND OR APPROVED EQUIVALENT)

CIRCUIT DESIGNATION

BRANCH CIRCUIT HOMERUN

SPECWLIZED OUTLET

- 1		PROJECT TITLE:	RECOMMENDING APPROVAL	APPROVED BY:	CIVIL AND ARCHITECTURAL	SHEET CONTENTI	STEACHER TO	SHEET MO.				
	SOCIAL	PROPOSED LEGAL OFFICE AT SSS PAMPANGA		No. of	Rikg a Ring	LEGAL OFFICE GENERAL NOTES SYMBOLS & LEGEND	Marie Salaru	E-1				
	SYSTEM		PABLITA A DAVID	GLORIA CORAZON M. ANDRADA	ROLLY P. GONZALES - Bidg. Administrator MARKES BA		CONTRACTOR AND TO AMERICA	24 28				
١	LUZON CENTRAL 2 DIVISION	LOCKTON: DMGC, Brgy, Malmple, City of San Fernando, Pampanga	BRANCH HEAD	VICE PRESIDENT	0-000 pe		THE RESIDENCE OF STREET, STREE	BLECTRICAL.				



-00

ø


TΕ

XXX


Sx Sxx

See


Sav(m)








July 1












RETILING OF MSS WAITING AREA AND STAIRCASE AT SSS DAU BRANCH


















Section VIII. Bill of Quantities

LEGAL OFFICE AT SSS PAMPANGA BRANCH

PROJECT : PROPOSED LEGAL OFFICE AT SSS PAMPANGA

LOCATION: DMGC, BRGY. Maimpis, City Of San Fernado, Pampanga

SUBJECT : BILL OF QUANTITIES FORM (BOQ FORM)

ITEM	DESCRIPTION	OTV	UNIT	MATE	RIALS	LABOR & E	QUIPMENT	DIDECT COST	MOB./	NAADK IID	MAT	TOTAL COST
NO.	DESCRIPTION	QTY.	UNII	Unit Cost	Amount	Unit Cost	Amount	DIRECT COST	DEMOV.	MARK UP	VAT	TOTAL COST
(A)	(B)	(C)	(D)	(E)	(F) CxE	(G)	(H) CxG	(I) F + H	(J) 1% x (F + H)	(K) % x (I+J)	(L) 12% x (I+J + K)	(M) I + J + K+ L
- 1	SITE PREPARATION											
	1. Temporary Facilities and Board-Up /Enclosure, Safety & Protective Signages	1	lot									
	2. Demolition/Dismantling/Removal of existing wall partitions, kitchen counter,	1	lot									
	door/jamb and steel window.											
	3. Removal/Chipping of existing floor, wall Tiles and Vinyl Tiles	1	lot									
	4. Dismantling/ Removal of existing ceiling	1	lot									
	(Fiber Cment Board & light metal frames, lighting assembly & others)											
	5. Hauling & Disposal of Debris & waste materials	1	lot									
	TOTAL COST - SITE PREPARATION											
Ш	MASONRY WORKS											
	1. CHB Laying and Platering											
	1.1 6" Concrete Hollow Blocks	7.4	sq.m/s									
	1.2 4" Concrete Hollow Blocks		sq.m/s									
	1.3 Portland Cement		bag/s									
	1.5 Sand	2.0										
	1.6 10mmØX6.0m DRSB	16	pc/s									
	1.7 Ga.16 G.I Tie Wire	2	kg/s									
	TOTAL COST - MASONRY WORKS											
III	CARPENTRY WORKS											
	1. Drywall Partition											
	1.1 4.5.mm thk. Fiber Cement Board	2	pc/s									
	1.2 Metal Studs, 76mmX50mmX0.80mm thk.X3.0m	5	pc/s									
	1.3 Metal Tracks, 76mmX50mmX0.80mm thk.X3.0m	2	pc/s									
	2. Ceiling											
	2.1 4.5mm thk. Fiber Cement Board	4	pc/s									
	2.2 Metal Furring, 50mmX19mmX5.0m	3	pc/s									
	2.3 Carrying Channel, 38mmx12mmx5.0m	4	pc/s									
	2.4 Wall Angle 25mmX25mmX2.40m	7	pc/s									
	2.5 W-Cliip	15	pc/s									
	3. Cabinets (Built-in and Pigeon Hole)											
	3.1 ¾" thk. Plywood	7	pc/s									



ITEM	DESCRIPTION		UNIT	MATERIALS		LABOR & EQUIPMENT		DIRECT COST	MOB./	MARK UP	VAT	TOTAL COST
NO.		QTY.	UNIT	Unit Cost	Amount	Unit Cost	Amount	DIKECT COST	DEMOV.	IVIARK UP	VAI	TOTAL COST
	3.2 ¾"Laminated Board (verify color & design)	3	pc/s									
	3.3 1mmX22mm PVC edging (verify color & design)	33	lm/s									
	3.4 2"X4"X8" Aluminum tubular	4	pc/s									
	3.5 Concealed Hinges with Automatic Soft Closing Spring	12	pair/s									
	3.6 Drawer Slide Ball Bearing	3	pair/s									
	3.7 Stainless Steel Handle (8 inches)	17	pc/s									
	4. Cabinets (Counter)											
	4.1 ¾" thk. Plywood	3	pc/s									
	4.2 2"X3"X8' Good Lumber	2	pc/s									
	4.4 ¾"Laminated Board (verify color & design)	2	pc/s									
	4.5 1mmX22mm PVC edging (verify color & design)	19	lm/s									
	4.6 Concealed Hinges with Automatic Soft Closing Spring	4	pair/s									
	4.7 Flap Stay (mechanical bracket)	3	pc/s									
	4.8 Drawer Slide Ball Bearing	3	pair/s									
	4.9 Stainless Steel Handle (8 inches)	10	pc/s									
	5. Miscellenous items	1	lot									
	(screws, rivets,concrete nails,expansion bolts and other incidental materials											
	that need to perform the work)											
	TOTAL COST - CARPENTRY WORKS											
ΙV	ARCHITECTURAL FINISHES											
	1. Installation of Acoustic Ceiling											
	1.1 16mm thk. Acoustic Board, Fissured 2'X2'	120	pc/s									+
	1.2 CMT - Main Tee, 1"X1½"X12"L	18										+
	1.3 CMT - Cross Tee, 1"X1½"X2'L	116	pc/s									+
	1.4 CMT - Wall Angle, 1"X1"X10'L	9	pc/s									+
	1.5 Ga. 14 G.I. Tire Wire	20	lm/s									
	2. Installation of Tiles		,2									
	2.1 600mmX600mm Polished Granite Tiles	130	pc/s									
	2.2 600mmX300Mmm Ceramic Floor Tiles	15	pc/s									
	2.3 600mmX300Mmm Ceramic Wall Tiles	85	pc/s									
	2.4 400mmX200Mmm Ceramic Wall Tiles	48	pc/s									+
	2.5 Natural Granite Countertop for Pantry Counter and Built-in Cabinet	1	lot									+
	2.6 Tile Adhesive (25kgs./bags)	24	bag/s									
	2.7 Portland Cement	20	bag/s			1		1				
	2.8 Sand	2	cu.m					1				+
	2.9 Tile Grout (2kgs./bags)	5	bag/s					1				<u> </u>
	3. Installation of Box Type Gutter		0,5					1				†
	3.1 Stainless Sheet 0.82mX2.4m	14	pc/s			1		1				1
	4. Stainless Steel Gutter Bracket	24						 				1
	Stainless Steel Gutter Bracket (25mmX6mmX225m SS Flat Bar)		F-1-3					1		 		
	5. Miscellenous items	1	lot									<u> </u>
	(rivets, screws and other incidental materials that need to perform the work)											1
	TOTAL COST - ARCHITECTURAL FINISHES											
	TOTAL COST ARCHITECTORAL THUSILES	1				l						



ITEM	DESCRIPTION	QTY.	ш	MATE	RIALS	LABOR & E	QUIPMENT	DIDECT COST	MOB./	MARK UP	MAT	TOTAL COST
NO.	DESCRIPTION	QIY.	UNIT	Unit Cost	Amount	Unit Cost	Amount	DIRECT COST	DEMOV.	IVIARK UP	VAT	TOTAL COST
v	DOORS, WINDOWS and GLASS PARTITION											
	1 DOORS											
	1.1 GLASS DOOR 01	1	set/s									
	900mmX2100mm Frameless Single Leaf, 12mm thk.Tempered		,									
	Clear Glass with Stainless Steel Door Handle, Complete with											
	Patch Fittings, Hardware and Accessories											
	1.2 WOOD DOOR 01	1	set/s									
	800mmX2100mm Flush Hollow Core Wood Door with ouver, LeverType	_	,									
	Lockset, Stainless Steel Hinges with Bearings, 2"X4" Tanguile											
	Door Jamb KD, Complete with Hardware and Accessories.											
	1.3 WOOD DOOR 02	1	set/s									
	800mmX2100mm Flush Hollow Core Wood Door with Bottom Louver,											
	LeverType Lockset, Stainless Steel Hinges with Bearings,											
	2"X4" Tanguile Door Jamb KD, Complete with Hardware and Accessories.											
	1.4 WOOD DOOR 03	1	set/s									
	700mmX2100mm Flush Hollow Core Wood Door with Glass View and											
	Frosted Sticker, Bottom Louver, LeverType Lockset, Stainless Steel Hinges											
	with Bearings, 2"X4" Tanguile Door Jamb KD, Complete with											
	Hardware and Accessories.											
	1.5 Door Closer with built-in hold open function	3	set/s									
	2. WINDOWS											
	2.1 WINDOW 01	4	set/s									
	(Awning and Fixed) 6mm thk. Clear Glass w/ frosted vinyl sticker and SSS logo											
	on powder coated aluminum frames (verify color and design)											
	2.2 WINDOW 02	2	set/s									
	(Sliding and Fixed) 6mm thk. Clear Glass on Powder Coated aluminum frames											
	(verify color and design)											
	3. PARTITIONS											
	3.1 Glass Partition	1	set/s									
	(Awning and Fixed) 6mm thk. Clear Glass w/ frosted vinyl sticker and SSS logo											
	on powder coated aluminum frames (verify color and design)											
	TOTAL COST - DOORS, WINDOWS and GLASS PARTITION											
VI	PAINTING WORKS											
	1. Wall											
	1.1 Primer Latex	2	tin/s									
	1.2 Smi-Gloss Latex (Ready mix)	3	tin/s									
	1.3 Masonry Putty	2	gal/s									
	1.4 Masonry Neutralizer	1	gal/s									
	2. Ceiling		-									
	2.1 Flat Wall Enamel	2	ltr/s									
	2.2 Ficem Board Putty	1	gal/s									
	3. Doors, Jamb and Cabinets (Counter, Built-in and Pigeon Hole)											
	3.1 Wood/Timber Primer	4	gal/s									



ITEM	DESCRIPTION	OT/	UNIT	MATE	RIALS	LABOR & E	QUIPMENT	DIRECT COST	MOB./	MANDIZIO	VAT	TOTAL COST
NO.	DESCRIPTION	QIY.	OINII	Unit Cost	Amount	Unit Cost	Amount	DIRECT COST	DEMOV.	MARK UP	VAI	TOTAL COST
	3.2 Aqua Gloss-it	6	gal/s									
	3.3 Wood Spot Putty		gal/s									
	5. Roof Sheeting		0 /									
	5. Roof Paint	5	gal/s									
	6. Fire wall		67-									
	6. Cementitious Waterproofing	7	gal/s									
	7. Miscellaneous Items (paint roller,paint brush, sand paper, putty knife, masking	1	lot									
	tape and other incidental materials that need to perform the work)											
	TOTAL COST - PAINTING WORKS											
VII	SPECIALTY WORKS											
	1. Frosted Sticker	1	lot									
	Supply and Installation of Frosted Stickers Pain, with Letter Cut-out and SSS Logo											
	(see detailed drawings)											
	2. Front Signage	1	lot									
	Double Layer Build up acrylic logo and letter cut-out on 6mm thk. acrylic background											
	TOTAL COST - SPECIALTY WORKS											
VIII	PLUMBING and SANITARY WORKS											
	1. Fixtures and Kitchen Sink											
	1.1 Water Closet with seat cover and Lavatory Wall Hung(square type) with	1	set/s									
	complete accessories (tissue holder, faucet, p-trap, pop-up drain, angle valve,											
	flexible hose, bidet set)											
	1.2 Vanity Mirror	1	set/s									
	1.3 Urinal with Push Valve	1	set/s									
	1.4 Stainless Steel Kitchen Sink, single bowl, single hole (446mmX	1	set/s									
	440mmX160mm) with comlete accessories (kitchen sink faucet (goose neck											
	type), sink strainer, P-trap, flexible hose, angle valve)											
	2. Sanitary											
	2.1 4"Ø uPVC Pipe (series 1000)	1	pc/s									
	2.2 2"Ø uPVC Pipe (series 1000)	2	pc/s									
	2.3 4" X4" uPVC Wye	1	pc/s									
	2.4 4" X2" uPVC Wye	1	pc/s									
	2.6 2" X2" uPVC Wye	4	pc/s									
	2.7 4" uPVC 45° Elbow	1	pc/s									
	2.8 4" PVC Clean Out	1	pc/s									
	2.9 2" PVC P-Trap	1	pc/s									
	2.10 2" PVC 45° Elbow	6										
	2.11 2"x1¼" uPVC Reducer	2	pc/s									
	3. Water Line											
	3.1 ½" PPR Pipe PN10	3	pc/s									
	3.2 ½" PPR Female Elbow	4	pc/s									
	3.3 ½" PPR Female Adapter	2	pc/s									
	3.4 ½" PPR 90° Elbow	4	pc/s									



ITEM	DESCRIPTION	ατγ.	UNIT	MATE	RIALS	LABOR & E	QUIPMENT	DIRECT COST	MOB./	MARK UP	VAT	TOTAL COST
NO.	DESCRIPTION	QIT.	UNII	Unit Cost	Amount	Unit Cost	Amount	DIRECT COST	DEMOV.	WARK OP	VAI	TOTAL COST
	3.5 ½" PPR Tee	3	pc/s									
	3.7 2"x2" Stainless Steel Floor Drain	1	pc/s									
	4. Miscellaneous Items (solvent cement, sealant, teflon tape and other incidental	1	lot									
	materials that need to perform the work)											
	TOTAL COST - PLUMBING and SANITARY WORKS											
IX	ELECTRICAL WORKS											
	1. Conduits and Fittings											
	1.1 20mm Ø PVC Conduit	136	lm/s									
	1.2 20mmØ PVC complete fittings and accessories such as but not limited to the following:	1	lot									
	a. locknut and bushing											
	b. PVC male adapter											
	1.3 20mmØ Flexible Metallic Conduit (FMC)	19	mtr/s									
	1.4 20mmØ Flexible Metallic angle/ straight connector with locknut & bushing	1	lot									
	1.5 250mmØ IMC Pipe	12	lm/s									
	1.6 40mmØ IMC Pipe	12	lm/s									
	2. Boxes											
	2.1 Utility Box (4X2) Deep Type , GA #18	26	pc/s									
	2.2 Junction Box (4X4) Surface Type with cover , GA #18	21										
	2.3 Pull Box, size (200mm x 200mm x 1200mm), Ga #18	2										
	3. Wires / Cables											
	3.1 3.25mm2 THHN wire (lead free)	235	lm/s									
	3.2 5.5mm2 THHN wire (lead free)	172	lm/s									
	4. Wiring devices/Lighting fixtures											
	4.1 Duplex convinience outlet w/ 3-prong 15A, 240v, 2p Beige color	6	set/s									
	4.2 Duplex convinience outlet w/ 3-prong 15A, 240v, 2p Off-white color	10	set/s									
	4.3 ACU convinience outlet w/ 3-prong 15A, 240v, 2p	3	set/s									
	4.4 Single convinience outlet w/ 3-prong 15A, 240v, 2p	5	set/s									
	4.5 One gang switch, single pole, 15A, 250V flush type (National Brand)	2	set/s									
	4.7 Two gang switch, single pole, 15A, 250V flush type (National Brand)	2	set/s									
	4.7 Three gang switch, single pole, 15A, 250V flush type (National Brand)	1	set/s									
	4.9 Troffer type lighting fixture, size (1200x600)mm luminaire housing: #18 thick	8	set/s									
	sheet metal, painted with enamel or epoxy, w/ snap or push button stainless											
	clip for louver and bi-pi holder pre-wired w/ 22mm stranded wire, reflector:											
	anodeized specular or aluinum finished pinholes for locking system, 0.4mm,											
	thickness louver: semi-specular or multi-line satin fi anodized aluminum											
	louver (glading cancellation effect); LED linear tube : 1620 lumens with											
	built-in driver, bi-pin terminal, 200-25VAC, 60Hz, 3000 burning hours.											
	4.10 150mm Ø Downlight fixture, white-painted housing w/ 0.4mm	2	set/s									
	specular finish aluminum w/ 9W LED bulb, 70 Lumens/Watts (min)											
	w/ clear glass cover and white mounting ring											
	4.11 75mm Ø Downlight fixture, white-painted housing w/ 0.4mm	3	set/s									
	specular finish aluminum w/ 9W LED bulb, 70 Lumens/Watts (min)											
	w/ clear glass cover and white mounting ring											



ITEM	DESCRIPTION	оту	QTY. UNIT MATERIALS LABO		LABOR & E	QUIPMENT	DIRECT COST	MOB./	MARK UP	VAT	TOTAL COST	
NO.	DESCRIPTION	QII.	OIVII	Unit Cost	Amount	Unit Cost	Amount	DIRECT COST	DEMOV.	WARKOP	VAI	TOTAL COST
	4.12 Exit signage. 2W LED bulb (min), 6VDC w/ back-up battery rechargeable	1	set/s									
	4.13 2x1 Watt (min) LED emergency light, 230V, 4AH min sealed lithium-ion	3	set/s									
	battery and C.O.W2 LED bulb (min) 6VDC w/ back-up battery rechargeable											
	4.14 10" Ceiling cassette exhaust fan, 40Watts, (min), 230V, 60Hz	1	set/s									
	4.14 8" Wall mounted exhaust fan, 33Watts, (min), 230V, 60Hz	1	set/s									
	4.15 Conventional smoke detector with base	2	set/s									
	4.16 Conventional heat detector with base	1	set/s									
	5. Miscellaneous Items (electrica tape, screws, solvent cement and other incidental	1	lot									
	materials that need to perform the work)											
	TOTAL COST - ELECTRICAL WORKS											
X	STRUCTURED CABLING WORKS											
	1. Installation of Data/Network line	1	lot									
	(CAT 5e,4 pair UTP cable, Stranded, devices(ethernet wall plate 2/4/6 port, RJ45),											
	pvc coduits, boxes and other incidental materials that need to perform the work)								·			
	TOTAL COST - STRUCTURED CABLING WORKS											
TOTAL PROJECT COST												

		MATES

A. ESTIMATED DIRECT COST	=	
I. SITE PREPARATION		
II. MASONRY WORKS		
III. CARPENTRY WORKS		
IV. ARCHITECTURAL FINISHES		
V. DOORS, WINDOWS and GLASS PARTITION		
VI. PAINTING WORKS		
VII. SPECIALTY WORKS		
VIII. PLUMBING and SANITARY WORKS		
IX. ELECTRICAL WORKS		
X. STRUCTURED CABLING WORKS		
B. MOB/DEMOB @ 1% of A	=	
C. MARK-UP (Profit, Overhead & Cont'cy) % of (A+B)	=	
D. VAT 12% of (A+B+C)	=	
TOTAL PROJECT COST (Sum of A	+B+C)	

GENERAL CONDITIONS:

- 1. For uniformity and evaluation purposes, a bidder shall adhere to the herein prescribe format of BOQ, specifically in the formula for computation, given quality and inclusive pay items. Any deviation from the format shall be a ground for disqualification of bid.
- 1.1 Fill up all required items/field in the BOQ. Failure to indicate any of the following shall mean outright disqualification since bid considered Non-responsive:
 - a) If item is given for free, indicate dash (-), zero (0) of free
 - b) If the item is not applicable, indicate N/A



- 2. Each bodder shall be provided with hard copy of the BOQ Form (attached in PBD) and an electronic copy for faster and easier encoding. The hard copy shall serve as the bidder's reference as tho completeness of work items, quantity, formula, format, etc. in the BOQ Form considering that the electronic copy is prone to alterations during encoding. Any discrepancy on the contents (specially on the quantity and inclusive pay items) between the hard copy and electronic, the contents of the hard copy shall prevail.
- 3. Bidders are not allowed to include any pay items that were not indicated in the hard copy of BOQ. In instances where necessary work items are inadvertently left out in BOQ Form, a bidder should make a written query to the Bids and Awards Committee so that the same shall be addressed in the Bid Bulletin which will be issued to all participating bidders.
- 4. Bidders shall include in the detailed estimate the breakdown of materials & labor for quantities specified in LOT (unit of measure) in BOQ.
- 5. All documents must be signed, and each and every page theof must be initialed by the duly authorized representative/s of the bidder.
- 6. Mark-up shall include the following:
- 6.1 Overhead expences such as office expences, supervision, transfortation allowances, and financing costs (Premium on CARI, Bid Security, Performance Security, Surety for advance payment, Warranty Bond).
- 6.2 Contingencies, Miscelleneous Expences and Contractor's Propit Margin.
- 7. It is the responsibility of the Bidder to check the arithmitical computation provided herein.

Submitted By:		
	Name of Bidder / Company Name)	
Prepared By:		
	(Company Representative - Signature over printed name)	
Address:		
elephone No.:		
Date:		



RETILING OF MSS WAITING AREA AND STAIRCASE AT SSS DAU BRANCH

PROJECT: RETILING OF MSS WAITING AREA AND STAIRCASE AT SSS DAU BRANCH

LOCATION: G/F & 2/F, Puregold Dau Building., McArthur Highway, Dau, Mabalacat City, Pampanga

SUBJECT : COST ESTIMATES

ITEM	DESCRIPTION	OTV		MATE	RIALS	LABOR & E	QUIPMENT	DIRECT	MOB./	MADICUID	WAT	TOTAL COST
NO.	DESCRIPTION	QIY.	UNIT	Unit Cost	Amount	Unit Cost	Amount	COST	DEMOV.	MARK UP	VAT	TOTAL COST
(A)	(B)	(C)	(D)	(E)	(F) CXE	(G)	(H) CxG	(I) F + H	(J) 1% x (F x H)	(K) % x (I+J)	(L) 12% x (I+J + K)	(M) i+J + K+ L
- 1	SITE PREPARATION											
	Movement of Tables, Gang Chair and other furniture	1	lot									
	2. Removal of existing Vinyl Tiles	1	lot									
	3. Hauling & Disposal of Debris & waste materials	1	lot	***************************************	***************************************							
	TOTAL COST - SITE PREPARATION											
Ш	ARCHITECTURAL FINISHES											
	1. Installation of Tiles											
	1.1 600mmX600mm Polished Synthetic Granite Tiles	185	pc/s									
	1.2 300mmX600mmNon-Skid Synthetic Granite Tiles	85										
	1.3 Aluminum Stair Nosing	22	pc/s									
	1.4 Tile Adhesive (25kgs./bags)	35	bag/s									
	1.5 Tile Grout (2kgs./bags)		bag/s									
	1.6 Portland Cement		bag/s									
	1.7 Sand	2.7										
	1.8 Miscellaneous Items	1	lot									
	(materials/perform unexpected work and repainting of affected areas)											
	TOTAL COST - ARCHITECTURAL FINISHES											
III	GLASS DOORS, GLASS PANELS AND DRYWALL PARTITION											
	1. Glass Doors											
	1.1 Removal, Repairs and Reinstallation of Glass Doors - Main Door	1	lot									
	and Self-Service Express Terminal Door (lif up adjustment of transom door)			***************************************	*****							
	and replacement defective necessary fitting, lockset and accessories to											
	complete the reinstallation of glass doors.											
	2. GlassPanels											
	2.1 Repair and Reinstallation of Glass Panels at the Second Floor level	1	lot	***************************************								
	(replacement defective necessary fitting and accessories to complete											
	the reinstallation of glass panels)											



ITEM	DESCRIPTION	оту	UNIT	MATE	RIALS	LABOR & E	QUIPMENT	DIRECT MOB./		MARK UP	VAT	TOTAL COST
NO.	DESCRIPTION	QII.	OIVIII	Unit Cost	Amount	Unit Cost	Amount	COST	DEMOV.	WARK OF	VAI	TOTAL COST
	3. Drywall Partition											
	3.1 Intallation of Drywall Partition(4.5mm thk. Fiber Cement Board, Metal	6	sq.m									
	Studs 76mmX35mmX.8mm thk., Metal Tracks 76mmX35mmX.8mm thk.,											
	Miscellenous items)											
	TOTAL COST - GLASS DOORS, GLASS PANELS AND DRYWALL PARTITION											
IV	PAINTING WORKS											
	1. DRYWALL											
	1.1 Primer Latex	1	gal/s									
	1.2 Semi-Gloss Latex (ready mix paint)	1	gal/s									
	1.3 Masonry Putty	1	gal/s									
	1.4 Cementitios Waterproofing	1	gal/s									
	2. Miscellaneous Items	1	lot									
	(other materials and to perform unexpected work)											
	TOTAL COST - PAINTING WORKS											
	TOTAL PROJECT COST											

SUMMARY OF ESTIMATES

A. ESTIMATED DIRECT COST	=
I. SITE PREPARATION	
II. ARCHITECTURAL FINISHES	
III. GLASS DOORS, GLASS PANELS AND DRYWALL PARTITION	
IV PAINTING WORKS	
B. MOB/DEMOB @ 1% of A	=
C. MARK-UP (Profit, Overhead & Cont'cy) % of (A+B)	=
D. VAT 12% of (A+B+C)	=
TOTAL ESTIMATED PROJECT C	OST

GENERAL CONDITIONS:

- 1. For uniformity and evaluation purposes, a bidder shall adhere to the herein prescribe format of BOQ, specifically in the formula for computation, given quality and inclusive pay items. Any deviation from the format shall be a ground for disqualification of bid.
 - 1.1 Fill up all required items/field in the BOQ. Failure to indicate any of the following shall mean outright disqualification since bid considered Non-responsive:
 - a) If item is given for free, indicate dash (-), zero (0) of free
 - b) If the item is not applicable, indicate N/A



- 2. Each bodder shall be provided with hard copy of the BOQ Form (attached in PBD) and an electronic copy for faster and easier encoding. The hard copy shall serve as the bidder's reference as tho completeness of work items, quantity, formula, format, etc. in the BOQ Form considering that the electronic copy is prone to alterations during encoding. Any discrepancy on the contents (specially on the quantity and inclusive pay items) between the hard copy and electronic, the contents of the hard copy shall prevail.
- 3. Bidders are not allowed to include any pay items that were not indicated in the hard copy of BOQ. In instances where necessary work items are inadvertently left out in BOQ Form, a bidder should make a written query to the Bids and Awards Committee so that the same shall be addressed in the Bid Bulletin which will be issued to all participating bidders.
- 4. Bidders shall include in the detailed estimate the breakdown of materials & labor for quantities specified in LOT (unit of measure) in BOQ.
- 5. All documents must be signed, and each and every page theof must be initialed by the duly authorized representative/s of the bidder.
- 6. Mark-up shall include the following:
- 6.1 Overhead expences such as office expences, supervision, transfortation allowances, and financing costs (Premium on CARI, Bid Security, Performance Security, Surety for advance payment, Warranty Bond).
- 6.2 Contingencies, Miscelleneous Expences and Contractor's Propit Margin.
- 7. It is the responsibility of the Bidder to check the arithmitical computation provided herein.

Submitted By:		
	Name of Bidder / Company Name)	
Prepared By:		
	(Company Representative - Signature over printed name)	
Address:		
		_
elephone No.:		
		-
Date:		



Section IX. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

	<u>Legal D</u>	<u>ocuments</u>
	(a)	Valid PhilGEPS Certificate of Platinum Registration and Membership (Platinum Membership) (all pages);
	Technic	<u>or</u> al Documents
	(b)	Statement of the prospective bidder of all its ongoing government and private
		contracts, including contracts awarded but not yet started, if any, whether
		similar or not similar in nature and complexity to the contract to be bid; and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar
		to the contract to be bid, except under conditions provided under the rules; and
	(d)	**
		<u>or</u>
		Special PCAB License in case of Joint Ventures;
		and registration for the type and cost of the contract to be bid; and
	(e)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a
		certification issued by the Insurance Commission;
		<u>or</u>
		Original copy of Notarized Bid Securing Declaration; and
	(f)	Project Requirements, which shall include the following:
		a. Organizational chart for the contract to be bid;
		b. List of contractor's key personnel (e.g., Project Manager, Project
		Engineers, Materials Engineers, and Foremen), to be assigned to the
		contract to be bid, with their complete qualification and experience
		data;
		c. List of contractor's major equipment units, which are owned, leased,
	_	and/or under purchase agreements, supported by proof of ownership or
		certification of availability of equipment from the equipment
		lessor/vendor for the duration of the project, as the case may be; and
	(g)	
	(S)	and if applicable, Original Notarized Secretary's Certificate in case of a
		corporation, partnership, or cooperative; or Original Special Power of
		Attorney of all members of the joint venture giving full power and authority
		to its officer to sign the OSS and do acts to represent the Bidder.
	Financi	al Doguments
		al Documents
	(h)	
		the prospective bidder's total and current assets and liabilities, stamped
		"received" by the BIR or its duly accredited and authorized institutions, for the
		preceding calendar year which should not be earlier than two (2) years from
		the date of bid submission; <u>and</u>
	\bigcap (i)	The prospective bidder's computation of Net Financial Contracting Capacity
		(NFCC).
		Class "B" Documents
	(j)	If applicable, duly signed joint venture agreement (JVA) in accordance with
		RA No. 4566 and its IRR in case the joint venture is already in existence;
		·
		or duly notarized statements from all the notantial joint venture partners stating
		duly notarized statements from all the potential joint venture partners stating
		that they will enter into and abide by the provisions of the JVA in the instance
		that the bid is successful.
TT	EINIA NI	CIAL COMPONENT ENVELOPE
11.		CIAL COMPONENT ENVELOPE Original of duly signed and accomplished Financial Rid Form; and
	\square (k)	Original of duly signed and accomplished Financial Bid Form; and



	Othord	lo oum entam no quinom enta un den DA No. 0194
		Occumentary requirements under RA No. 9184 Original of duly signed Bid Prices in the Bill of Quantities; and
	(n	 Duly accomplished Detailed Estimates Form, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment
	(n	rentals used in coming up with the Bid; <u>and</u> Cash Flow by Quarter.
IMP	ORTAN'	T REMINDERS
A)	and l	and every page of the Bid Forms, under Section VIII: Checklist of Technical Financial Documents hereof, shall be signed by the duly authorized sentative/s of the Bidder. Failure to do so shall be a ground for the rejection bid.
B)	•	nterlineations, erasures, or overwriting shall be valid only if they are signed tialed by the duly authorized representative/s of the Bidder.
C)		ocuments shall be compiled in a folder/binder with the Annexes properly and with tabs/separators.
D)		ers shall submit their bids through their duly authorized representative sed in separate sealed envelopes, which shall be submitted simultaneously:
	a)	The first three individually sealed envelopes shall contain the folder/binder of the Eligibility Requirements and Technical Component of the bid; prepared in three copies labeled as follows:
	C	Envelop (1): ORIGINAL – Eligibility Requirements and Technical
	Comp	Envelop (2): COPY1 – Eligibility Requirements and Technical Component Envelop (3): COPY2 – Eligibility Requirements and Technical Component
	b)	The next three individually sealed envelopes shall contain the folder/binder of the Financial Component of the bid; prepared in three copies labeled as follows:
		Envelop (4): ORIGINAL – Financial Component Envelop (5): COPY1 – Financial Component Envelop (6): COPY2 – Financial Component
	c)	Bidders shall enclose, seal and mark the following:
		Envelop (7): Envelope (1) and Envelope (4) enclosed in one sealed envelope marked "ORIGINAL-BID"
		Envelop (8): Envelope (2) and Envelope (5) enclosed in one sealed envelope marked "COPY1–BID"
		Envelop (9): Envelope (3) and Envelope (6) enclosed in one sealed envelope marked "COPY2–BID"
	d)	Envelopes (7) to (9) shall then be enclosed in a single sealed, signed final/outer envelope/package/box
	e)	All envelopes (Envelopes (1) to (9) and the final/outer envelope/package/box) shall indicate the following:



- addressed to the Procuring Entity's BAC
- name and address of the Bidder in capital letters
- name of the contract/project to be bid in capital letters
- bear the specific identification/reference code of this bidding process
- bear a warning "DO NOT OPEN BEFORE..." the date and time for theopening of bids

THE CHAIRPERSON					
BIDS AND AWARDS COMMITTEE					
2 ND FLOOR, SSS MAIN BUILDING					
EAST AVENUE, DILIMAN, QUEZON CITY					
NAME OF BIDDER:					
ADDRESS :					

- E) Bids submitted after the deadline shall only be marked for recording purpose, shall not be included in the opening of bids, and shall be returned to the bidder unopened.
- F) Bidders shall submit a copy of the Authority to Notarize issued by the Regional Trial Court to the Notarial Public.



FORMS

Bid Form for the Procurement of Infrastructure Projects

	BID
FORM	

PROPOSED LEGAL OFFICE AT SSS PAMPANGA BRANCH AND RETILING OF MSS WAITING AREA AND STAIRCASE AT SSS DAU BRANCH

Date:	
Project Identification No.:	

To: SOCIAL SECURITY SYSTEM East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: (Insert name of contract);
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- a. The total price of our Bid in words and figures, excluding any discounts offered below is: (insert information);
- b. The discounts offered and the methodology for their application are: (insert information);
- c. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates,
- d. Our Bid shall be valid within the period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- e. If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines for this purpose;
- f. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents:
- g. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- h. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- i. We likewise certify/conform that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid,



and to sign and execute the ensuing contract for the (Name of Project)of the [Name of the Procuring Entity].

j. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

GPPB Resolution No. 16-2020, dated 16 September 2020



Bid Securing Declaration Form

REPUBLIC	OF	THE	PHILIPPINES)
CITY OF _			
9.9			·

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

> [Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

CONTRACT AGREEMENT

PROPOSED LEGAL OFFICE AT SSS PAMPANGA BRANCH AND PROPOSED RETILING OF MSS WAITING AREA AND STAIRCASE AT SSS DAU BRANCH

ITB-SSS-CIVIL-2022___

THIS AGREEMENT made between:

SOCIAL SECURITY SYSTEM, a government-owned and controlled
corporation created pursuant to Republic Act No. 11199, with principal office
address at SSS Building, East Avenue, Diliman, Quezon City, represented
herein by its Approving Authority and (Position of Approving Authority), (Name
of Approving Authority) and (Position of Signatory), (Name of signatory), duly
authorized pursuant to Administrative Order,
(pertaining to Approving Authority) (Annex "A") and Office
Order,(Annex "B") (pertaining to signatories),
hereinafter referred to as the "SSS";
- a n d -
(NAME OF CONTRACTOR), of legal age, Filipino, single/married, with
principal address at, hereinafter referred to as the
"Contractor".
If corporation
(NAME OF CONTRACTOR), a corporation duly created and existing pursuant
to the laws of the Republic of the Philippines, with principal office address at
, represented herein by its (Position of Signatory),
(Name of Signatory), duly authorized pursuant to,
, hereinafter referred to as the "Contractor".

WHEREAS, the Entity is desirous that the Contractor execute [name and identification number of contract] (hereinafter called "the Works") and the Entity has accepted the Bid for [contract price in words and figures in specified currency] by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - a. Philippine Bidding Documents (PBDs);
 - i. Drawings/Plans;
 - ii. Specifications;



- iii. Bill of Quantities;
- iv. General and Special Conditions of Contract;
- v. Supplemental or Bid Bulletins, if any
- b. Contractor's bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract; and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees thatadditional contract documents or information prescribed by the GPPBthat are subsequently required for submission after the contractexecution, such as the Notice to Proceed, Variation Orders, andWarranty Security, shall likewise form part of the Contract.
- 3. In consideration for the sum of [totalcontract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The SSS agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature]	[Insert Name and Signature]
[Insert Signatory's Legal Capacity]	[Insert Signatory's Legal Capacity]
for:	for:
SSS	[Insert Name of Supplier]



(In case of double acknowledgment)

SIGNED IN THE PRESENCE OF:							
(Name of Certifying officer a (Position of Certifying Office (Department/Office of Certify)	er)						
FUNDS AVAILABLE:							
APP No.:							
1	FIRST ACKNOWLEDGMENT						
Republic of the Philippines)) S.S.						
BEFORE ME, a Notary Pub day of	lic for and in, Phil, personally appeared:	ippines, on this					
Name	Competent Evidence of Identity	Date/Place of Issue					
known to me to be the same person who executed the foregoing Agreement, consisting of () pages, including this page and excluding annexes, and he/she/they acknowledged to me that the same is his/her/their free and voluntary act and deed as well as the free and voluntary act and deed of the principal he/she /they represent/s in this instance. WITNESS MY HAND AND SEAL on the date and place first above written.							
Doc. No; Page No; Book No; Series of 20							



SI	GNED IN THE PRESENCE OF:	
	_	
SE	ECOND ACKNOWLEDGMENT	
Republic of the Philippines)	S.S.	
	ic for and in, Phil	lippines, on this
Name	Competent Evidence of Identity	Date/Place of Issue
() pages, in acknowledged to me that the	person who executed the foregoing accluding this page and excluding as same is his/her/their free and voding phrase) as well as the free and resent/s in this instance.	annexes, and he/she/they oluntary act and deed (if
WITNESS MY HAND AND	SEAL on the date and place first a	bove written.
Doc. No; Page No; Book No;		

Series of 20___.



Omnibus Sworn Statement (Revised)

REPUBLIC OF THE PHILIPPINES)		

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _________) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity] as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached documents showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;



[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a) Carefully examining all of the Bidding Documents;
 - b) Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Consultant] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duly to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s.1930, as amended, or the Revised Penal Code.

IN WITNES	S WHEREOF,	I have	hereunto	set 1	my han	d this	 day	of	,	20	at
, Philippines.											

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



Performance Securing Declaration (Revised)

REPUBLIC OF THE PHILIPPINI	ES)
CITY OF	_) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]



FORM-06

STATEMENT OF ALL ITS ON-GOING GOVERNMENT AND PRIVATE CONTRACTS, INCLUDING CONTRACTS AWARDED BUT NOT YER **STARTED**

NAME OF CONTRACT	DATE OF CONTRACT	CONTRACT DURATION	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS	KINDS OF GOODS	AMOUNT OF CONTRACT	VALUE OF OUTSTANDING CONTRACT

FORM-07

STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABCWITH ATTACHED SUPPORTING DOCUMENTS (i.e. P.O/CONTRACTS)

NAME OF CONTRACT	KINDS OF GOODS	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS

		ormula in the Co	mputati	on of NFCC		
		NAME OF PROJECT				
		NAME OF	COMPA	NY		
		sets – Current Liabi g Contracts includi				
YEAR	C	URRENT ASSET	'S	CURRENT LIABILITIES		
TOTAL						
		Vorks under On-g			ı	
CONTRACT DESCRIPTION		CONTRACT P. AMOUNT AT		ENTAGE OF NNED AND ACTUAL MPLISHMENT	ESTIMATED COMPLETION TIME	
TOTAI Jse additional s		necessary				
FORMULA: 15 (Current A		– ————————————————————————————————————) -	nus Total Out Wo	_	
		PNI	FCC			
Dranavad and Su	ıbmitted	by:				



(Name of Bank)

COMMITTED LINE OF CREDIT CERTIFICATE

Date: _____

Social Security System (SSS)	
SSS Main Building, East Avenu	ne e
Diliman, Quezon City	
CONTRACT PROJECT	
COMPANY/FIRM	•
ADDRESS	•
BANK/FINANCING	•
INSTITUTION	
ADDRESS	•
AMOUNT	•
THIOCHT	•
above, commits to provide the above-mentioned Contract, a cre	e above Bank/Financing Institution with business address indicated (Supplier/Distributor/Manufacturer/Contractor), if awarded the edit line in the amount specified above which shall be exclusively to of the above-mentioned contract subject to our terms, conditions
(Supplier/Distributor/Manufactu	e available within fifteen (15) calendar days after receipt by the arer/Contractor) of the Notice of Award and such line of credit shall Certificate of Acceptance by the Social Security System.
(Name of Procuring Entity) for statements issued by us make us	credit cannot be terminated or cancelled without the prior written
Name and Signature of Authoriz	zed Financing Institution Office
Office Designation	
Office Designation	
Concurred by:	
Name & Signature of (Supplier/	Distributor/Manufacturer/Contractor) Authorized Representative
Official Designation	
SUBSCRIBED AND SWORN	TO BEFORE ME this day of at
	me his/her competent Evidence of Identity (as defines by the 2004
	issued on at, Philippines.
	NOTARY PUBLIC
Doc No. :	
Doc No. : Page No. :	
Book No. :	
Series of :	
	d should be machine validated in the Certificate itself)
(110te. The amount committee	a should be machine vanuated in the Celuncate usen)



