

PHILIPPINE BIDDING DOCUMENTS

Sixth Edition

Procurement of GOODS

VARIOUS PROJECTS AT MAIN OFFICE POWER SUBSTATION 2

ITB-SSS-GOODS-2024-008

FEBRUARY 2024

Government of the Republic of the Philippines

FRANCIS'F. FLORES

TWG Chairperson

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	3
	on I. Invitation to Bid	
	on II. Instructions to Bidders	
1.	Scope of Bid	
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	12
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	13
13.	Bid and Payment Currencies	14
14.	Bid Security	14
15.	Sealing and Marking of Bids	14
16.	Deadline for Submission of Bids	14
17.	Opening and Preliminary Examination of Bids	14
18.	Domestic Preference	15
19.	Detailed Evaluation and Comparison of Bids	15
20.	Post-Qualification	14
21.	Signing of the Contract	15
Sectio	on III. Bid Data Sheet	16
Section	on IV. General Conditions of Contract	19
1.	Scope of Contract	20
2.	Advance Payment and Terms of Payment	20
3.	Performance Security	20
4.	Inspection and Tests	20
5.	Warranty	20
6.	Liability of the Supplier	21
Section	on V. Special Conditions of Contract	22
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII Checklist of Technical and Financial Documents	



Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.



FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Alba.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

SSS – Social Security System

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.



Section I. Invitation to Bid





REPUBLIC OF THE PHILIPPINES SOCIAL SECURITY SYSTEM

East Avenue, Diliman, Quezon City Tel. Nos. (632)8709-7198

E-mail: member_relations@sss.gov.ph *Website http://www.sss.gov.ph

Invitation to Bid ITB-SSS-Goods-2024-008

VARIOUS PROJECTS AT MAIN OFFICE POWER SUBSTATION 2

Approved Budget for the Contract (ABC)	Delivery/ Completion	Price of Bid Documents		of Activities /Time
& Source of Fund	Period	(non- refundable)	Pre-bid Conference	Deadline of submission and receipt of bids
₱55,243,346.00 Broken down as follows: Item 1: REPLACEMENT OF LOW VOLTAGE SWITCH GEAR AT SUBSTATION 2 ₱ 20,769,446.00	One-Fifty (150) calendar days from receipt of Notice to Proceed and Job Order	₱27,500.00		
Item 2: REPLACEMENT OF VCB NOS. 3 AND 4 AT POWER SUBSTATION 2 ₱ 8,606,335.00			February 22, 2024 (Thursday)	March 14, 2024 (Thursday)
Item 3: REPLACEMENT OF 1.5MVA POWER TRANSFORMERS AT MAIN BUILDING ₱ 14,567,565.00			3:30 p.m.	2:00 p.m.
Item 4: RENTAL OF GENERATOR SETS ₱ 11,300,000.00				
Approved 2024 Corporate Operating Budget under Capital Outlay with code PAP 2024-0316, 2024-0322, 2024-0309 and MOOE with code PAP 2024-0299 of the Annual Procurement Plan				

- 1. The *SOCIAL SECURITY SYSTEM* now invites Bids for the above item. Delivery of the Goods is required within the period specified above. **Bidders should have completed within five (5) years prior to the date of submission and receipt of bids**, a contract similar to the Project. The description of an eligible Bidder is contained in the Bidding Documents, particularly, in Section II Instruction to Bidders.
- 2. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary pass/fail criterion as specified in the 2016 Revised Implementing Rules and Regulations (RIRR) of Republic Act 9184 (RA) 9184, otherwise known as the "Government Procurement Reform Act".



Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

- 4. Interested bidders may obtain further information from the SSS and inspect the Bidding Documents at the address in the last item of the ITB from Monday to Friday, 8:00 a.m. to 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested bidders **starting 14 February 2024 up to the scheduled submission & receipt of bids** from the address stated in the last item of the ITB and upon payment of the applicable fee for the Bidding Documents in the amount specified above.

The mode of payment will be on a cash basis payable at the SSS Cash Department, Ground Floor, SSS Main Bldg., upon accomplishment of SSS Form R-6. The Bidding Documents shall be received personally by the prospective Bidder or his authorized representative.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the SSS, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The SSS will hold a Pre-Bid Conference on the date and time specified above at the Bidding Room, 2nd Floor, SSS Main Bldg., East Avenue, Diliman, Quezon City which shall be open to prospective bidders, but attendance shall not be mandatory. To ensure completeness and compliance of bids, bidders are advised to send their authorized technical and/or administrative representatives who will prepare the bid documents.

The Pre-Bid Conference will be conducted through online conference using Microsoft Teams. Kindly e-mail us on or before 21 February 2024, through e-mail address <u>bac@sss.gov.ph</u>, the following:

- a. Name of the representative and e-mail address; and
- b. Technical and administrative queries.
- 7. Bids must be duly received by the BAC Secretariat at the Bidding Room, 2nd Floor, SSS Main Building, East Avenue, Diliman, Quezon City on the deadline specified above. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in the ITB Clause 14.

Bid opening shall be on the date and time specified above at the Bidding Room, 2nd Floor, SSS Main Building, East Avenue, Diliman, Quezon City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address above. Late bids shall not be accepted.

- 8. References to the dates and times shall be based on Philippine Standard time. Should any of the above dates fall on a holiday, the deadline shall be extended to the same time of the immediately succeeding business day in Quezon City.
- 9. The SSS reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 10. The SSS assumes no obligation to compensate or indemnify parties for any expense or loss that they may incur as a result of their participation in the procurement process, nor does SSS guarantee that an award will be made as a result of this invitation. Furthermore, the SSS reserves the right to waive any defects or formality in the responses to the eligibility requirements and to this invitation and reserves the right to accept the proposal most advantageous to the agency.

Alba

11. For further information, please refer to:

Email – bac@sss.gov.ph

Bids & Awards Committee The Secretariat2nd Flr., SSS Main Bldg., East Ave., Diliman, Q.C.
Tel # (632) 8922-1070; 8709-7198 local 5492/6382

12. Bidding Documents may be downloaded from PROCUREMENT tab at www.sss.gov.ph starting 14 February 2024.

THE CHAIRPERSON
BIDS & AWARDS COMMITTEE

ref.: itb-sss-goods-2024-008-Various Projects at MO Building

Mod

Section II. Instructions to Bidders



1. Scope of Bid

The Procuring Entity, *Social Security System* wishes to receive Bids for the Various Projects at Substation no.2, with identification number *ITB-SSS-Goods-2024-008*.

The Procurement Project (referred to herein as "Project") is composed of *one lot*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *CY2024* in the amount of Fifty-Five Million Two Hundred Forty-Three Thousand Three Hundred Forty-Six pesos (\$\P\$5,243,346.00).
- 2.2. The source of funding is Approved 2024 Corporate Operating Budget under Capital Outlay with code PAP 2024-0316, 2024-0322, 2024-0309 and MOOE with code PAP 2024-0299 of the Annual Procurement Plan, broken down as follows:

Item 1: REPLACEMENT OF LOW VOLTAGE SWITCH GEAR AT SUBSTATION 2

₱ 20,769,446.00

Item 2: REPLACEMENT OF VCB NOS. 3 AND 4 AT POWER SUBSTATION 2

₱ 8,606,335.00

Item 3: REPLACEMENT OF 1.5MVA POWER TRANSFORMERS AT MAIN BUILDING
₱ 14,567,565.00

Item 4: RENTAL OF GENERATOR SETS
₱ 11.300.000.00

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.



5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
 - b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Procuring Entity has prescribed that Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address **Bidding Room**, **2nd Floor**, **SSS Main Bldg.**, **East Avenue**, **Diliman**, **Quezon City and/or through online conference using Microsoft Teams** as indicated in paragraph 6 of the **IB**.



9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last five* (5) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.

All de la constant de

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid for <u>One Hundred Twenty (120) Calendar Days</u> <u>from the Date of the Bid Opening.</u> Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 7 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

Allba.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

All de la constant de

Section III. Bid Data Sheet



Bid Data Sheet

ITB Clause					
5.3	For this purpose, contracts similar to the Project shall be:				
	a. Supply and installation of power substation/electrical equipment and facilities				
	b. Completed within five (5) years prior receipt of bids.	r to the deadline for the submission and			
7.1	Not Applicable				
12	The price of the Goods shall be quoted DDP				
	Social Security System, Main Office Building the applicable International Commercial Ter	<u> </u>			
14.1	The bid security shall be in the form of a E following forms and amounts:	sid Securing Declaration, or any of the			
	Form of Bid Security	Amount of Bid Security (Not less than the Percentage of the ABC)			
	Cash or cashier's/manager's chec issued by a Universal or Commercia Bank.	Two percent (2%)			
	Bank draft/guarantee or irrevocable letter of credit issued by a Universation or Commercial Bank: Provided however, that it shall be confirmed authenticated by a Universal of Commercial Bank, if issued by foreign bank.	l ₱1,104,866.92 l, or or			
	Surety bond callable upon deman issued by a surety or insurance company duly certified by the Insurance Commission as authorize to issue such security.	e Five percent (5%) or \$\partial 2762.167.30			
	* Bank issued securities must be issued by a universal/commercial bank.				
	* Surety Bonds must be accompanied by a	certification from Insurance			
	Commission that issuer is authorized to issue such security.				
	* Bid Securing Declaration must be notarized by a duly commissioned				
	Notary Public.				



19.3	The ABC is P55,243,346.00 , broken down as follows:
	Item 1: ₱ 20,769,446.00
	Item 2: ₱ 8,606,335.00
	Item 3: ₱ 14,567,565.00
	Item 4: ₱ 11,300,000.00
	Any bid with a financial component exceeding the ABC per item indicated above shall not be accepted.
20.1	Not Applicable.
20.2	The Lowest Calculated Bidder shall submit the following:
	1. Registration certificate from Securities and Exchange Commission (SEC) for corporation including Articles of Incorporation and General Information Sheet (GIS), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document
	2. Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	3. Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR)
	4. Latest Audited Financial Statements
	5. Latest income tax return corresponding to the Audited Financial Statements submitted, filed electronically (EFPS);
	6. Quarterly VAT (business tax returns) per Revenue Regulations 3-2005 for the last six (6) months prior to the submission & opening of bids filed electronically (EFPS);
21.1	Not Applicable



Section IV. General Conditions of Contract



1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

Alba

5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



Section V. Special Conditions of Contract



Special Conditions of Contract

	Special Conditions of Contract
GCC	
Clause	
1	CCOPE OF WORKS
1	SCOPE OF WORKS
	I. COORDINATION
	Coordinate with the EFMD Engineer or SSS representative to discuss all
	phases of the works/ activities
	1. Kick-off Meeting/Pre-construction meeting
	2. Submission of the following:
	2.1 List of Man Power with Bio Data
	2.2 Gant Chart
	2.3 Shop Drawing (for EFMD's Approval)
	II. IMPLEMENTATION
	ITEM 1 - REPLACEMENT OF LOW VOLTAGE SWITCH GEAR (LVSG) AT SUBSTATION 2
	Fabrication of Enclosure & Busbar Configuration assembly
	Fabrication & assembly must be type tested design.
	2. Dismantling of the existing LVSG, ATS and other electrical
	materials
	3. Chipping of the existing ATS Concrete Pad and placing bricks as the existing.
	4. Hauling and Transportation of all the dismantled Equipment and
	materials to East Triangle designated area at the expense of the
	supplier/contractor.
	5. Submission of Factory Acceptance Test (FAT) from the
	manufacturer/fabrication plant before the delivery of the LVSG
	Assembly. The said test must be witness and approved by the
	representatives of the proponent/SSS representatives. (at least 4
	representatives)
	6. Supply and Delivery of LVSG Assembly, Electrical Materials and
	Equipment.
	7. Installation of the following LVSG Assembly with 3-layer cabinet
	configuration;
	↓ 1 st layer – Withdrawable ACB's
	- 2 sets of ATS 2000A
	- 2 sets of Main Air Circuit Breaker (MACB), 2000A
	- 1 set of Tie Air Circuit Breaker (TACB), 3200A
	- 5sets -1600A of Air-Circuit Breaker (ACB)
	- 3 sets-1000A of Air-Circuit Breaker (ACB),
	- 3 sets-800A of Circuit Breaker (ACB),
	· · · · · · · · · · · · · · · · · · ·
	With Power Logic Meter and selector switch on each
	ACB.
	♣ 2 nd layer – Busbar Configuration General Report Configuration
	- Busbar Configuration Assembly including Cable Tray (
	From Genset feeder line to ATS A & B), Cable Tray
	(From Capacitor Bank A & B to LVSG) and Bus duct
	with flexi/braided bus bar (transformer to ATS of LVSG)
	■ 3 rd layer – Load Side Busbar Tapping Point
	8. Wiring system – Any extension or additional wires/busbars and
	accessories that necessary for the completion of this project must be
	included in the bid price. (Site visit is required)
	9. 2HP Wall Mounted Inverter Split type Air-conditioner
	10. MTS 50A, 230V, 3Phase, 60 Hz (for PM alternative utility source)



- 11. Free Standing Enclosure complete with Device, Materials and accessories as stated in the LVSG Packages of Technical specification
- 12. Render incidental materials/services and provide miscellaneous and essential components, parts, accessories including consumable items needed to complete the functionality of the project.
- 13. Supply of labor, materials and devices that are essential to complete the project. May it be mentioned or not in the Terms of Reference (TOR), specified or not in Bill of Quantity (BOQ) and proposed plan layout.
- 14. The dismantling and installation must be completed within 45 calendar days and this is included in the 150 calendar days dedicated to the entire project.

ITEM 2 - REPLACEMENT OF VACUUM CIRCUIT BREAKER (VCB) NOS. 3 & 4 AT POWER SUBSTATION 2

- 1. Fabrication of Enclosure
- 2. Dismantling of the existing VCBs and other electrical materials
- 3. Hauling and Transportation of all the dismantled equipment and materials to East Triangle designated area at the expense of the supplier/contractor.
- 4. Submission of Factory Acceptance Test (FAT) from the manufacturer/fabrication plant before the delivery of the VCB Assembly. The said test must be witness and approved by the representatives of the proponent/SSS representatives. (at least 4 representatives)
- 5. Supply, delivery and Installation of Two (2) sets Vacuum Circuit Breaker (VCB) rated 1,250A, 36kV, 3P, 25kAIC, 60Hz., Draw-out type, Electrically Operated, per existing enclosure, complete with essential parts and components, control wiring system and other standard accessories.
- 6. VCB 3 & 4 XLPE cable terminations, Retrofitting works, provision of all miscellaneous and essential components, parts, necessary wires, accessories and consumable items including rendering of incidental materials and services, needed to complete the installation.
- 7. Replacement of 4-sets of XLPE termination kit at receiving structure for VCB 1, 2, 3 & 4 complete with standard accessories (must be the same with existing kit).
- 8. Reconfiguration of the control system including all essential components and accessories needed to complete the system configuration and to make it fully functional in accordance with engineering practices and standards.
- 9. Calibrations, Testing and commissioning of the newly installed Vacuum Circuit Breaker. The start-up operation test result of the newly installed Vacuum Circuit Breaker shall be submitted to the assigned Project in-Charge/ Engineer.
- 10. Replacement of powder Coated Enclosures Nema 3R
- 11. Render incidental materials/services and provide miscellaneous and essential components, parts, accessories including consumable items needed to complete the functionality of the project.
- 12. Supply of labor, materials and devices that are essential to complete the project. May it be mentioned or not in the Terms of Reference (TOR), specified or not in Bill of Quantity (BOQ) and proposed plan layout.

Alba.

- 13. Wiring system Any extension or additional wires/xlpe and accessories that necessary for the completion of this project must be included in the bid price. (Site visit is required)
- 14. The dismantling and installation must be completed within 45 calendar days and this is included in the 150 calendar days dedicated to the entire project.

ITEM 3 - REPLACEMENT OF 1.5 MEGA VOLT AMPERE (MVA) TRANSFORMERS AT MAIN BUILDING

- 1. Dismantling of the existing 2-sets of 1.5MVATransformers and other electrical materials
- 2. Hauling and Transportation of all the dismantled Equipment and materials to East Triangle designated area at the expense of the supplier/contractor.
- 3. Submission of Factory Acceptance Test (FAT) from the transformer manufacturer before the delivery of the Transformer. The said test must be witness and approved by the representatives of the proponent/SSS representatives. (at least 4 representatives)
- 4. Supply and Delivery of 2-sets of 1.5MVATransformers and other electrical materials
- 5. Busduct from transformer to LVSG and VCB including accessories that necessary for the completion of this project must be included in the bid price. (Site visit is required)
- 6. The dismantling and installation must be completed within 45 calendar days and this is included in the 150 calendar days dedicated to the entire project.

ITEM 4 – RENTAL OF GENERATOR

- 1. Rental of 2-sets 750KVA/ 600KW at Standby duty, 480 volts, 60 Hz, 3 phase including Diesel for 45 calendar days duration or until completion and turn over.
- 2. Supply, and installation of Temporary LVSG, 480V, 3Phase complete with common busbar & termination lugs
- 3. Wiring system Supply and installation of Additional wires/busbar and accessories that necessary for the completion of this project. (Site visit is required)
- 4. The contractor must prepare inventory and turn-over all materials used in temporary LVSG, wires and other accessories after completion of the project.

III. INCIDENTAL MATERIALS/SERVICES, MISCELLANEOUS, RESTORATION AND TESTING AND COMMISSIONING

- Render incidental materials, works and services and provide miscellaneous and essential components, parts, accessories including consumable items needed to complete the functionality of the project.
- 2. Supply of labor, materials and devices that are essential to complete the project. May it be mentioned or not in the Terms of Reference (TOR), specified or not in Bill of Quantity (BOQ) and/or proposed plan layout.
- 3. Restoration of Area, Device or Equipment affected on this project.
- 4. Calibration, testing and commissioning of the system including training for basic operation and troubleshooting.
- 5. Necessary permits and electrical fees required in this work shall be obtained by and at the expense of the contractor. (If applicable)

Alba.

IV. SUBMITTALS UPON TURN OVER

- 1. Book-Binding of the following;
 - Brochures and Manual Operations
 - Project Details Documentation and Test Reports
- 2. Certificates Warranty Certificates
- 3. As-built Plans signed by Professional Electrical Engineer (PEE)

Delivery and Documents -

For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:

[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered SSS Main Building, East Avenue, Diliman, Quezon City. In accordance with INCOTERMS."

[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered SSS Main Building, East Avenue, Diliman, Quezon City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."

Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).

For purposes of this Clause the Procuring Entity's Representative at the Project Site is Francis F. Flores, Elmer D. Mescallado and George N. Carreon.

Incidental Services –

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

- a. performance or supervision of on-site assembly and/or start-up of the supplied Goods:
- b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or onsite, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.



Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: Select appropriate requirements and delete the rest.

- 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- 2. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of two (2) years.

Spare parts or components shall be supplied as promptly as possible, but in any case, within seven (7) calendar days of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination

Alba

in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. 2.2 The terms of payment shall be **one-time payment** after completion of the project and final acceptance from EFMD which shall be credited to the LANDBANK or DBP or any choice of bank account subject to applicable bank charges of the winning bidder. The payment shall be subject to retention of Withholding Tax and other applicable taxes in accordance with existing Laws and BIR Rules and Regulations, to be remitted directly to the BIR by the SSS. Payment using Letter of Credit is not allowed. 4 Not Applicable 5.2 Warranty The VCB, LVSG and Transformer is covered with two (2) years warranty from the date of acceptance by EFMD inclusive of guaranteed comprehensive preventive maintenance services annually during the said warranty period. Liability of the Supplier 6 1. CONFIDENTIALITY. Neither party shall, without the prior written consent of the other, disclose or make available to any person, make public, or use directly or indirectly, except for the performance and implementation of the works, any confidential information, acquired from an information holder in connection with the performance of this Contract, unless: (i) the information is known to the disclosing party, as evidenced by its written records, prior to obtaining the same from the information holder and is not otherwise subject to disclosure restrictions on the disclosing party, (ii) the information is disclosed to the disclosing party by a third party who did not receive the same, directly or indirectly, from an information holder, and who has no obligation of secrecy with respect thereto, or (iii) required to be disclosed by law.



The obligation of confidentiality by both parties, as provided herein, shall survive the termination of the Agreement.

- 2. MERGER AND CONSOLIDATION. In case of merger, consolidation or change of ownership of the SUPPLIER with other company, it is the responsibility of the surviving company/consolidated company/acquiring entity to inform SSS of the change in corporate structure/ownership. Failure to do so shall translate in such company assuming all liabilities of the acquired/merged company under the Agreement.
- 3. FORCE MAJEURE. SUPPLIER shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that SUPPLIER's delay in performance or other failure to perform its obligations under this Agreement is the result of a force majeure.

For purposes of this Agreement the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which SUPPLIER could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by SUPPLIER. Such events may include, but not limited to, acts of SSS in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

If a force majeure situation arises, SUPPLIER shall promptly notify SSS in writing of such condition and the cause thereof. Unless otherwise directed by SSS in writing, SUPPLIER shall continue to perform its obligations under this Agreement as far as is reasonably practical and shall seek all reasonable alternative means for performance not prevented by the force majeure.

- 4. NON-ASSIGNMENT. SUPPLIER shall not assign its rights or obligations under this Agreement, in whole or in part, except with SSS's prior written consent. SUPPLIER shall not subcontract in whole or in part the PROJECT and deliverables subject of this Agreement without the written consent of SSS.
- 5. WAIVER. Failure by either party to insist upon the other strict performance of any of the terms and conditions hereof shall not be deemed a relinquishment or waiver of any subsequent breach or default of the terms and conditions hereof, which can only be deemed made if expressed in writing and signed by its duly authorized representative. No such waiver shall be construed as modification of any of the provisions of the Agreement or as a waiver of any past or future default or breach hereof, except as expressly stated in such waiver.
- 6. CUMULATIVE REMEDIES. Any and all remedies granted to the parties under the applicable laws and the Contract shall be deemed cumulative and may therefore, at the sole option and discretion, be availed of by the aggrieved party simultaneously, successively, or independently.
- 7. NO EMPLOYER-EMPLOYEE RELATIONSHIP. It is expressly and manifestly understood and agreed upon that the employees of SUPPLIER assigned to perform the PROJECT are not employees of SSS. Neither is there an employer-employee relationship between SSS and SUPPLIER.



The Agreement does not create an employer-employee relationship between SSS and the SUPPLIER including its personnel; that the services rendered by the personnel assigned by SUPPLIER to SSS in the performance of its obligation under the contract do not represent government service and will not be credited as such; that its personnel assigned to SSS are not entitled to benefits enjoyed by SSS' officials and employees such as Personal Economic Relief Allowance (PERA), Representation and Transportation Allowance (RATA), ACA, etc.; that these personnel are not related within the third degree of consanguinity or affinity to the contracting officer and appointing authority of SSS; that they have not been previously dismissed from the government service by reason of an administrative case; that they have not reached the compulsory retirement age of sixty-five (65); and that they possess the education, experience and skills required to perform the job. The SUPPLIER hereby acknowledges that no authority has been given by SSS to hire any person as an employee of the latter. Any instruction given by SSS or any of its personnel to SUPPLIER's employees are to be construed merely as a measure taken by the former to ensure and enhance the quality of project performed hereunder. The SUPPLIER shall, at all times, exercise supervision and control over its employees in the performance of its obligations under the contract.

- 8. PARTNERSHIP. Nothing in the contract shall constitute a partnership between the parties. No party or its agents or employees shall be deemed to be the agent, employee or representative of any other party.
- 9. COMPLIANCE WITH SS LAW. SUPPLIER shall report all its employees to SSS for coverage and their contributions, as well as, all amortizations for salary/education/calamity and other SSS loans shall be updated. Should SUPPLIER fail to comply with its obligations under the provisions of the SS Law and Employees' Compensation Act, SSS shall have the authority to deduct any unpaid SS and EC contributions, salary, educational, emergency and/or calamity loan amortizations, employer's liability for damages, including interests and penalties from SUPPLIER's receivables under this Agreement.

Further, prescription does not run against SSS for its failure to demand SS contributions or payments from SUPPLIER. Moreover, SUPPLIER shall forever hold in trust SS contributions or payments of its employees until the same is fully remitted to SSS.

10. COMPLIANCE WITH LABOR LAWS. SUPPLIER, as employer of the personnel assigned to undertake the PROJECT, shall comply with all its obligations under existing laws and their implementing rules and regulations on the payment of minimum wage, overtime pay, and other labor-related benefits as well as remittances or payment of the appropriate amount or contributions/payment (SSS, EC, Pag-IBIG, PhilHealth and taxes) with concerned government agencies/offices.

It is agreed further, that prior to the release of any payment by SSS to SUPPLIER, its President or its duly authorized representative, shall submit a sworn statement that all monies due to all its employees assigned to the PROJECT as well as benefits by law and other related labor legislation have been paid by SUPPLIER and that he/she assumed full responsibility thereof.

11. COMPLIANCE WITH TAX LAWS. SUPPLIER shall, in compliance with tax laws, pay the applicable taxes in full and on time and shall regularly present to SSS within the duration of the Contract, tax clearance from the Bureau of Internal Revenue (BIR) as well as copy of its income and business tax returns duly stamped by the BIR and duly validated with the tax payments made thereon. Failure by SUPPLIER to comply with the foregoing shall entitle SSS to suspend payment of the Contract Price.



As required under Executive Order (EO) 398, s. 2005, SUPPLIER shall submit income and business tax returns duly stamped and received by the BIR, before entering and during the duration of this Agreement. SUPPLIER, through its responsible officer, shall also certify under oath that it is free and clear of all tax liabilities to the government. SUPPLIER shall pay taxes in full and on time and that failure to do so will entitle SSS to suspend or terminate this Agreement.

- 12. LIQUIDATED DAMAGES. If SUPPLIER fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in the PBD inclusive of duly granted time extensions if any, SSS shall, without prejudice to its other remedies under this Agreement and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. Once the amount of liquidated damages reaches ten percent (10%), SSS may rescind or terminate this Agreement, without prejudice to other courses of action and remedies open to it.
- 13. HOLD FREE and HARMLESS. SUPPLIER agrees to defend, indemnify, and hold SSS free and harmless from any and all claims, damages, expenses, fines, penalties and/or liabilities of whatever nature and kind, whether in law or equity, that may arise by reason of the implementation of the Agreement. In addition, SUPPLIER agrees to indemnify SSS for any damage as a result of said implementation.

SUPPLIER hereby assumes full responsibility for any injury, including death, loss or damage which may be caused to SSS' employees or property or third person due to SUPPLIER's employees' fault or negligence, and further binds itself to hold SSS free and harmless from any of such injury or damage. SSS shall not be responsible for any injury, loss or damage which SUPPLIER or any of its employees may sustain in the performance of SUPPLIER's obligations under this Agreement.

14. SETTLEMENT OF DISPUTES. If any dispute or difference of any kind whatsoever shall arise between SSS and SUPPLIER in connection with or arising out of this Agreement, the Parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

If after thirty (30) days, the Parties have failed to resolve their dispute or difference by such mutual consultation, then either SSS or SUPPLIER may give notice to the other Party of its intention to commence arbitration, in accordance with RA No. 876, otherwise known as the "Arbitration Law" and RA No. 9285, otherwise known as the "Alternative Dispute Resolution Act of 2004," in order to settle their disputes.

No arbitration in respect of this matter may be commenced unless such notice is given.

Notwithstanding any reference to arbitration herein, the Parties shall continue to perform their respective obligations under this Agreement unless they otherwise agree.

- 15. VENUE OF ACTIONS. In the event court action is necessary in order to promote Arbitration, such action shall be filed only before the proper courts of Quezon City, to the exclusion of all other venues.
- 16. GOVERNING LAW. The Agreement shall be governed by and interpreted according to the laws of the Republic of the Philippines.



- 17. AMENDMENTS. This Agreement may be amended only in writing and executed by the parties or their duly authorized representatives.
- 18. SEPARABILITY. If any one or more of the provisions contained in the contract or any document executed in connection herewith shall be invalid, illegal or unenforceable in any respect under any applicable law, then: (i) the validity, legality and enforceability of the remaining provisions contained herein or therein shall not in any way be affected or impaired and shall remain in full force and effect; and (ii) the invalid, illegal or unenforceable provision shall be replaced by the parties immediately with a term or provision that is valid, legal and enforceable and that comes closest to expressing the intention of such invalid illegal or unenforceable term of provision.
- 19. BINDING EFFECT. The Agreement shall be binding upon the Parties hereto, their assignee/s and successor/s-in-interest.



Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Description	Quantity	Delivered, Weeks/Months
1	REPLACEMENT OF LOW VOLTAGE SWITCH GEAR AT SUBSTATION 2	NOS. 3 TION 2 1 lot VA AT	
2	REPLACEMENT OF VCB NOS. 3 & 4 AT POWER SUBSTATION 2		(150) Calendar Days
3	REPLACEMENT OF 1.5MVA POWER TRANSFORMER AT MAIN BUILDING		Proceed and Job Order
4	RENTAL OF GENERATOR SETS (temporary power facility)		
5	One (1) day training for the basic operations, maintenance, and trouble- shooting for the Item 1, 2 & 3	At least 10 EFMD Technicians	To commence within 2 working days after the issuance of certificate of completion and acceptance by EFMD.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	



Section VII. Technical Specifications



Technical Specifications

Item	Specification			Statement	Annex	
No.				of Compliance		
Bidders	must state	here either "Comply" or "?	Not Comply" against each of th	_	rameters	
of each Stateme referend literatus samples subsequ liable f	Specificate of "Control of "Control of "Control of the control of	tion stating the correspondingly" or "Not Comply" must evidence. Evidence shall litional statements of specifient test data etc., as appropred to be contradicted by the en. A statement either in the	ing performance parameter of st be supported by evidence in a be in the form of manufactutication and compliance issued intensional and states are the presented will render the Bidder's statement of complibid evaluation, post-qualification	the equipment a Bidders Bid a rer's un-amend d by the manu pported by evide the Bid under evi iance or the su	offered. nd cross- led sales lfacturer, ence or is valuation upporting	
			nder the Bidder or supplier liabl			
to the a	pplicable le	aws and issuances.				
ITEM 1	l: REPLA	CEMENT LOW VOLTAG	SE SWITCH GEAR (LVSG) A	AT SUBSTAT	ON 2	
1.	must be II for items	1.a to 1.d.	Air Circuit Breakers and gher version/latest generation			
1.a		Circuit Breaker (TCB)	3200A	<u> </u>		
		ated Current (A)	1600A -3200A			
		ensor Rating (A) oltage (V)	480 (+/- 10%) to 690V			
		o. of Poles	3			
	• Ra	ated Breaking Capacity (kA as), Icu	65 kA (minimum)			
	wi	ated Short-time to atthstand current (kA rms) 1 s, Icw	65 kA (minimum)			
		ated Making Capacity (kA eak), Icm	120 kA (minimum)			
		nted Service Rating apacity (kA rms), Ics	100%			
	Micrologic		Harmonic Trip Unit with LSIG (ground fault trip) programmable ground fault alarm			
	• De	evice Type	Draw-out Version			
	• Po	osition mode	Open, Connected, disconnected & Test			
1.b	Automati	ic Transfer Switch (ATS) &	alsconnected & Test Main Air-Circuit Breaker (I	MACB)		
	• Ra	ated Current (A)	2000A			
	• Se	ensor Rating (A)	1000A -2000A			
		oltage (V)	480 (+/- 10%) min.			
	• No	o. of Poles	3			
		ated Breaking Capacity (kAns), Icu	65 kA (minimum)			
	• Ra wi	ated Short-time to athlete the thickness of the thickness	65 kA (minimum)			
	Rated Making Capacity (kA peak), Icm 120 kA (minimum)					



Item No.	Specificat	Statement of Compliance	Annex	
	Dotod Comics Dating			
	 Rated Service Rating Capacity (kA rms), Ics 	100%		
	Micrologic	Harmonic Trip Unit with		
	Wherologic	LSIG (ground fault trip)		
		programmable ground fault		
		alarm		
	Device Type	Draw-out Version		
	 Position mode 	Open, Connected,		
	Decided Circle (DACD	disconnected & Test		
1.c	Branch Air Circuit Breaker (BACB	<u></u>		
	Rated Current	1600A		
		1000A 800A		
	Sansan Dating (A)	200A -1600A		
	• Sensor Rating (A)	480 (+/- 10%) min.		
	Voltage (V)No. of Poles	480 (+/- 10%) mm.	-	
	No. of PolesRated Breaking Capacity (kA	42 kA (minimum)		
	rms), Icu	, ,		
	 Rated Short-time to withstand current (kA rms) @ 1 s, Icw 	42 kA (minimum)		
	Rated Making Capacity (kA peak), Icm	120 kA (minimum)		
	Rated Service Rating Capacity (kA rms), Ics	100%		
	Micrologic	Harmonic Trip Unit with LSIG (ground fault trip) programmable ground fault alarm		
	Device Type	Draw-out Version		
	Position mode	Open, Connected,		
	1 oblion mode	disconnected & Test		
1.d	Power Meter with the following dis	·s;		
	 Phase, neutral, ground faults c (apparent, real, reactive), power 			
	Energy Metering			
	Current and Power Demand			
	 Total Harmonic distortion (TH 			
2.	LVSG PACKAGE, METERING A			
	Bidder must submit a duly signed <u>Cer</u> deliver and install the following listed considered as part of the technical doc			
	manufacturer's standard for items 2.a Note: None submission of such certi			
	disqualification			
2.a	Rated 480V, 3Phase, Fabricated and Adesign in Nema-3R elevated platform			



No. Compliance	Item	Specification	Statement	Annex		
2.b Control Transformer Intake and Exhaust Ventilation system	No.					
Intake and Exhaust Ventilation system 2.c MTS 50A, 230V, 3Phase, 60 Hz including wires, conduit, supports and hangers 2.d Power Meter and selector switch on each ACB 2.e Pilot Light Indicator (ON, OFF and TRIP) 2.f Selector Switch, 2Position 2.g Control MCB, 10A, 2Pole, 230V 2.h Cable Duct 2.i Control Wiring 2.j Flood Light 50watts, 230V – 8 sets 2.k Ta LED 18watts, 230V – 8 sets 2.l Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 1.b Rated impulse withstand voltage 70kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Short-circuit withstand current Isc max. 1.c But of femeral in the state of the standard of the state of the standard of the standard for items 1.a to 1.l. 1.a Rated Short-circuit withstand time 3 sec	2.b	Control Transformer	Comphance			
2.c MTS 50A, 230V, 3Phase, 60 Hz including wires, conduit, supports and hangers 2.d Power Meter and selector switch on each ACB 2.e Pilot Light Indicator (ON, OFF and TRIP) 2.f Selector Switch, 2Position 2.g Control MCB, 10A, 2Pole, 230V 2.h Cable Duct 2.i Control Wiring 2.j Flood Light 50watts, 230V – 8 sets 2.k T8 LED I Swatts, 230V – 8 sets 2.l Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Capacitor Bank A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker TIEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 1.b Rated impulse withstand voltage 1.c Rated power frequency withstand voltage 1.d Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec	2.0		1			
and hangers 2.d Power Meter and selector switch on each ACB 2.e Pilot Light Indicator (ON, OFF and TRIP) 2.f Selector Switch, 2Position 2.g Control MCB, 10A, 2Pole, 230V 2.h Cable Duct 2.i Control Wiring 2.j Flood Light 50watts, 230V – 8 sets 2.k T8 LED 18watts, 230V – 8 sets 2.l Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a Rated Voltage 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		j				
2.d Power Meter and selector switch on each ACB 2.e Pilot Light Indicator (ON, OFF and TRIP) 2.f. Selector Switch, 2Position 2.g. Control MCB, 10A, 2Pole, 230V 2.h. Cable Duct 2.i. Control Wring 2.j. Flood Light 50watts, 230V – 8 sets 2.k. T8 LED 18watts, 230V – 8 sets 2.k. T8 LED 18watts, 230V – 8 sets 2.l. Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m. Cable Tray (From Capacitor Bank A & B to LVSG) 2.n. Cable Tray (From Gapacitor Bank A & B to LVSG) 2.n. Cable Tray (From Gapacitor Bank A & B to LVSG) 2.n. Cable Tray (From Gapacitor Bank A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p. Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Dopth = 38 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a. Rated Voltage 1.b. Rated impulse withstand voltage 170kV 1.c. Rated power frequency withstand voltage 170kV 1.d. Rated Normal Current 1,250 A 1.f. Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f. Rated Short-circuit withstand current Isc max.	2.c	MTS 50A, 230V, 3Phase, 60 Hz including wires,	conduit, supports			
2.e Pilot Light Indicator (ON, OFF and TRIP) 2.f Selector Switch, 2Position 2.g Control MCB, 10A, 2Pole, 230V 2.h Cable Duct 2.i Control Wiring 2.j Flood Light 50watts, 230V – 8 sets 2.k TS LED 18watts, 230V – 8 sets 2.l Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Depth = 38 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 70kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Short-circuit withstand current 1,250 A 1.f Rated Short-circuit withstand current Isc max. 1.c Rated Short-circuit withstand time 3 sec		•		_		
2.f Selector Switch, 2Position 2.g Control MCB, 10A, 2Pole, 230V 2.h Cable Duct 2.i Control Wiring 2.j Flood Light 50watts, 230V – 8 sets 2.k T8 LED 18watts, 230V – 8 sets 2.l Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Depth = 38 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 70kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec				- -		
2.g Control MCB, 10A, 2Pole, 230V 2.h Cable Duct 2.i Control Wiring 2.j Flood Light 50watts, 230V – 8 sets 2.k T8 LED 18watts, 230V – 8 sets 2.l Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a Rated Voltage 1.b Rated impulse withstand voltage 1.c Rated power frequency withstand voltage 1.d Rated Normal Current 1.p Path for worm				-		
2.h Cable Duct 2.i Control Wiring 2.j Flood Light 50watts, 230V – 8 sets 2.k T8 LED 18watts, 230V – 8 sets 2.l Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Ganester feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Ormal Current 1,250 A 1.f Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec				-		
2.i Control Wiring 2.j Flood Light 50watts, 230V – 8 sets 2.k T8 LED 18watts, 230V – 8 sets 2.l Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.f Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec				-		
2.j Flood Light 50watts, 230V - 8 sets 2.k T8 LED 18watts, 230V - 8 sets 2.l Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec	-			-		
2.k T8 LED 18watts, 230V - 8 sets 2.1 Bus duct with flexi/braided bus bar (transformer to ATS of LVSG) 2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a Rated Voltage 1.b Rated impulse withstand voltage 1.c Rated power frequency withstand voltage 1.d Rated Mormal Current 1.z SOA 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		č		<u>-</u>		
2.m Cable Tray (From Capacitor Bank A & B to LVSG) 2.n Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 1.d Rated Normal Current 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec						
2.n Cable Tray (From Genset feeder line to ATS A & B) 2.o ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 1.b Rated impulse withstand voltage 1.70kV 1.d Rated Normal Current 1.250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec	2.1	Bus duct with flexi/braided bus bar (transformer t	o ATS of LVSG)	-		
2.0 ACB's Lifting Device (Electric Rail-Mounted) with the following accessories; • Carriage assembly • Winch mechanism • Lifting hook • Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 1.b Rated impulse withstand voltage 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec	2.m	Cable Tray (From Capacitor Bank A & B to LVS	G)			
accessories; Carriage assembly Winch mechanism Lifting hook Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; Height = 96 in. max Width at the base = 30 in. max. Depth = 38 in. max. Hook Lift Range = 20 in. min. to 104 in. max. Load Capacity to 300 lbs. maximum Ability to lock lifter in stationary position Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA				-		
Carriage assembly Winch mechanism Lifting hook Winch hook Ploor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; Height = 96 in. max Width at the base = 30 in. max. Depth = 38 in. max. Hook Lift Range = 20 in. min. to 104 in. max. Load Capacity to 300 lbs. maximum Ability to lock lifter in stationary position Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.1. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec	2.0	` ` `	ith the following			
Winch mechanism Lifting hook Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; Height = 96 in. max Width at the base = 30 in. max. Width at the base = 30 in. max. Hook Lift Range = 20 in. min. to 104 in. max. Load Capacity to 300 lbs. maximum Ability to lock lifter in stationary position Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		<i>'</i>				
Lifting hook Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; Height = 96 in. max Width at the base = 30 in. max. Depth = 38 in. max. Hook Lift Range = 20 in. min. to 104 in. max. Load Capacity to 300 lbs. maximum Ability to lock lifter in stationary position Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 70kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand time 3 sec						
Winch hook 2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; Height = 96 in. max Width at the base = 30 in. max. Depth = 38 in. max. Hook Lift Range = 20 in. min. to 104 in. max. Load Capacity to 300 lbs. maximum Ability to lock lifter in stationary position Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec						
2.p Floor Crane (Standard Floor Crane), ability to access 3-pole Air Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec						
Circuit Breaker's (ACB's) in all cell positions with the General Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 1.b Rated impulse withstand voltage 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec	2.p		cess 3-pole Air	1		
Dimension and features specified below or approve equivalent;; • Height = 96 in. max • Width at the base = 30 in. max. • Depth = 38 in. max. • Hook Lift Range = 20 in. min. to 104 in. max. • Load Capacity to 300 lbs. maximum • Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 1.b Rated impulse withstand voltage 1.c Rated power frequency withstand voltage 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		, ·	-			
Width at the base = 30 in. max. Depth = 38 in. max. Hook Lift Range = 20 in. min. to 104 in. max. Load Capacity to 300 lbs. maximum Ability to lock lifter in stationary position Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		` /				
Depth = 38 in. max. Hook Lift Range = 20 in. min. to 104 in. max. Load Capacity to 300 lbs. maximum Ability to lock lifter in stationary position Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		• Height = 96 in. max				
Hook Lift Range = 20 in. min. to 104 in. max. Load Capacity to 300 lbs. maximum Ability to lock lifter in stationary position Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec						
Load Capacity to 300 lbs. maximum Ability to lock lifter in stationary position Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		•				
• Ability to lock lifter in stationary position • Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec						
Front and/or Side lifting of breaker ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec						
ITEM 2: REPLACEMENT VCB NOS. 3 & 4 AT POWER SUBSTATION 2 I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec						
I VACUUM CIRCUIT BREAKER (VCB) Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		Front and/or Side lifting of breaker				
Bidder must submit the latest brochures of VCB and it must be IEC Standard for items 1.a to 1.l. 1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec	ITEM 2	2: REPLACEMENT VCB NOS. 3 & 4 AT POW	ER SUBSTATION	N 2		
Standard for items 1.a to 1.l. 1.a Rated Voltage 1.b Rated impulse withstand voltage 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec	I	VACUUM CIRCUIT BREAKER (VCB)				
1.a Rated Voltage 36 kV 1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		Bidder must submit the latest brochures of VCB a	and it must be IEC			
1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		Standard for items 1.a to 1.l.	-			
1.b Rated impulse withstand voltage 170kV 1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec	1.a	Rated Voltage	36 kV			
1.c Rated power frequency withstand voltage 70kV 1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec						
1.d Rated Normal Current 1,250 A 1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec						
1.e Rated Short-circuit withstand current Isc max. Up to 31.5kA 1.f Rated Short-circuit withstand time 3 sec		1 1				
1.f Rated Short-circuit withstand time 3 sec						
1 a Date of free groups are	1.f	Rated Short-circuit withstand time				
1 0011/2 1	1.g	Rated frequency	60Hz			
1.h Mechanical Endurance M2 Class	1.h	Mechanical Endurance				
1.i Electrical Endurance E2 Class	1.i	Electrical Endurance				
1.j Rated line charging breaking current 10A	1.j	Rated line charging breaking current				



Item No.	Specification			Statement of Compliance	Annex
1.k	Rated cable-charging breaking curre	ent	50A	Сотришес	
1.1	Rated single capacitor bank breakin	g current	400A		
II	VCB PACKAGE AND ACCESSO	DRIES			
	Bidder must submit a duly signed <u>C</u> deliver and install the following list considered as parts and components manufacturer's standard for item 1.a	ed items which of the project	n shall be		
	Note: None submission of such cerdisqualification	rtification sha	ll be ground for		
1.a.	• Lightning Arresters: 30KV,	3 phase,10kAl	IC		
	Digital Multi-function Powe System	r Meter with F	Protective Relay		
	Power Cable Terminal Conn	nections			
	Nema 3R Powder Coated Er	nclosure			
	Control with essential wiri	ng system and	d accessories		
	Potential Transforme				
	Current Transformer				
	Selector Switch (line				
	Push buttons				
	Pilot Lights Indicator	& Off)			
	 Sets of Space Heaters and light Bus bars fittings and connect 4-sets of XLPE termination complete with standard accelexisting kit). 				
ITEM:	3: 1.5MVA POWER TRANSFORM	MER AT THE	E MAIN BUILDIN	\mathbf{G}	
I	STEP DOWN POWER TRANSF	ORMER CAS	ST RISEN		
	Bidder must submit the latest broch must be IEC 60076-11 compliant or generation. for items 1.a to 1.n.				
1.a	Rated Capacity				
1.b	Rated Voltage Capacity (nominal)				
1.c	Low Voltage (No-Load)				
1.d	Frequency				
1.e	System Voltage				
1.f	Power Frequency withstand Voltage				
1.g	Cooling	ANAF			



Item No.	Specification		Statement of Compliance	Annex	
1.h	Protection Glass		IP00	•	
1.i	Insulation class (LV/HV)		F/F		
1.j	No load loss + IEC tol	. (AN)	4300W		
1.k	Load Loss at 750C + I (AN)	EC tol.	14800W		
1.1	Vector Group		Dyn11		
1.m	Max. Temperature rise	e (LV/HV)	100/100K		
1.n	Noise Level - (LpA @	1.0M)	68 dB (A)		
2	(DU) standard requires	with the MEI ments.	RALCO Distribution Utility ertification shall be ground for		
ITEM 4	4: RENTAL OF GENI	ERATOR SE	T		
I	Generator Set Bidder must submit late brochures of generator 1.a to 1.d				
1.a	Capacity		750KVA/ 600KW min.		
1.b	Voltage		480V		
1.c	No. of Poles/Phase		3 phase		
1.d	Frequency		60 Hz		
II	TEMPORARY LVS	G			
	Bidder must submit a deliver and install the considered as parts and manufacturer's standar Note: None submission disqualification				
1.a	-	embly with the	e breakers rating as stated below:		
	BANK A	BANK B			
		Main 2 : 2000 <i>E</i> FB-F : 250A			
		FB-G : 500A			
		FB-H : 1000			
	FB-D : 250A I	FB-I : 500A			
		<u>ΓCB</u> : 1000			
	480V, 3Phase complete other accessories/consum		busbar & termination lugs and		
	omer accessories/consum	naules.			
				<u> </u>	



Item No.	Specification		Statement of Compliance	Annex
1.b	WIRES		•	
	THHN stranded wire PVC insulated	l Nylon jacketed, Moisture and		
	Heat Resistant, 600V, 90oC Operation	ing Temperature, Lead Free,		
	Gasoline Resistant, Flame Retardan	t		
	Wire Size			
	Wire Size	125mm2		
	Wire Size	250mm2		
	Wire Size	400mm2		
1.c	The contractor must prepare inventory and turn-over all materials used in temporary LVSG, wires and other accessories after completion of the project.			

Name:	-
Legal capacity:	_
Signature:	_
Duly authorized to sign the Bid for and behalf of:	
Date	



Section VIII. Checklist of Technical and Financial Documents



CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

<u>Legal Do</u>	ocuments
(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
	al Documents
(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections
(d)	23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within five (5) years period prior to the submission and opening of Bids; <u>and</u> Original copy of Bid Security (Cash, Letter of Credit, Surety Bond). If in the
	form of a Surety Bond, submit also a certification issued by the Insurance Commission; Or Original copy of Notarized Bid Securing Declaration; and
(e)	Conformity with the Schedule of Requirements (Section VI) and Technical Specifications (Section VII), which may include production/delivery
(f)	schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u> Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a
	corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
For forei	cumentary requirements under RA No. 9184 (as applicable) gn bidders claiming by reason of their country's extension of reciprocal rights
to Filipin	Copy of Treaty, International or Executive Agreement; or
(h)	Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
(i)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
	Class "B" Documents
□ (j)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
	or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.



<i>Financial</i> ☐ (k)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
(l)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
FINANC (m) (n)	AL COMPONENT ENVELOPE Original of duly signed and accomplished Financial Bid Form; and Original of duly signed and accomplished Price Schedule(s)/Bid Breakdown.

IMPORTANT REMINDERS

- A) Each and every page of the **Bid Forms/Price Schedule(s)/Bid Breakdown**, under Section VIII: Checklist of Technical and Financial Documents hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.
- B) Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.
- C) Bid documents shall be compiled in a folder/binder with the Annexes properly labeled with tabs/separators.
- D) Bidders shall submit their bids through their duly authorized representative enclosed in separate sealed envelopes, which shall be submitted simultaneously:
 - a) The first three individually sealed envelopes shall contain the folder/binder of the Eligibility Requirements and Technical Component of the bid; prepared in three copies labeled as follows:
 - Envelop (1): ORIGINAL Eligibility Requirements and Technical Component Envelop (2): COPY1 – Eligibility Requirements and Technical Component Envelop (3): COPY2 – Eligibility Requirements and Technical Component
 - b) The next three individually sealed envelopes shall contain the folder/binder of the Financial Component of the bid; prepared in three copies labeled as follows:
 - Envelop (4): ORIGINAL Financial Component Envelop (5): COPY1 – Financial Component Envelop (6): COPY2 – Financial Component
 - c) Bidders shall enclose, seal and mark the following:
 - Envelop (7): Envelope (1) and Envelope (4) enclosed in one sealed envelope marked "ORIGINAL-BID"
 - Envelop (8): Envelope (2) and Envelope (5) enclosed in one sealed envelope marked "COPY1-BID"



- Envelop (9): Envelope (3) and Envelope (6) enclosed in one sealed envelope marked "COPY2-BID"
- d) Envelopes (7) to (9) shall then be enclosed in a single sealed, signed final/outer envelope/package/box
- e) All envelopes (Envelopes (1) to (9) and the final/outer envelope/package/box) shall indicate the following:
 - addressed to the Procuring Entity's BAC
 - name and address of the Bidder in capital letters
 - name of the contract/project to be bid in capital letters
 - bear the specific identification/reference code of this bidding process
 - bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids

THE CHAIRPERSON BIDS AND AWARDS COMMITTEE
2 ND FLOOR, SSS MAIN BUILDING
EAST AVENUE, DILIMAN, QUEZON CITY
NAME OF DIDDED
NAME OF BIDDER:
ADDRESS :
NAME OF PROJECT:
ITB REFERENCE NUMBER:
DO NOT OPEN BEFORE
(the date and time for the opening of bids)

E) Bids submitted after the deadline shall only be marked for recording purpose, shall not be included in the opening of bids, and shall be returned to the bidder unopened.



FORMS



Bid Form for the Procurement of Goods

BID FORM

VARIOUS PROJECTS AT MAIN OFFICE POWER SUBSTATION 2

Date:
Project Identification No.:
-

To: SOCIAL SECURITY SYSTEM

East Avenue, Diliman, Quezon City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Various Projects at Main Office Power Substation 2 in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules/Bid Breakdown attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules/Bid Breakdown,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of of agent Currency Commission or gratuity				
(if none, state "None")				



Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices/Bid Breakdown, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:



FORM-02

Name of Bidder Invitation to Bid Number

ITEM NO.		PARTICULARS	QTY	UNIT	UNIT COST	TOTAL COST
I	LOW VOLTAGE SWITCH GEAR AT SUBSTATION 2					
1	Replacement of the existing LVSG with new LVSG Assembly Nema 3R free stand powder coated enclosure with LVSG packages, metering and accessories. Including dismantling and hauling of the existing LVSG to the designated site.		1	lot		
2		y and installation of electrical equipment for VSG Assembly as follows:				
	2.1	ATS, 2000AT (1-set composed of 1-Normal & 1-Generator ACB's), 65 kAIC (min.), 480 volts, 65 kAIC, 60 Hz, 3 Phase	2	Sets		
	2.2	Main Air-Circuit Breaker (MACB), 2000A 65 kAIC (min.), 480 volts, 65 kAIC, 60 Hz, 3 Phase	2	Sets		
	2.3	Tie-Air Circuit Breaker (TACB), 3200A 65 kAIC (min.), 480 volts, 65 kAIC, 60 Hz, 3 Phase	1	Set		
	2.4	Air-Circuit Breaker (ACB), 1600AT 65 kAIC (min.), 480 volts, 65 kAIC, 60 Hz, 3 Phase	5	Sets		
	2.5	Air-Circuit Breaker (ACB), 1000A 65 kAIC (min.), 480 volts, 65 kAIC, 60 Hz, 3 Phase	3	Sets		
	2.6	Air-Circuit Breaker (ACB), 800AT 65 kAIC (min.), 480 volts, 65 kAIC, 60 Hz, 3 Phase	3	Sets		
	2.7	Power Logic Meter including Current Transformer	18	Sets		
	2.8	2HP Wall Mounted Inverter Split type Air-conditioner	1	Set		
	2.9	Submersible pump 2HP, 230V, 3Phase, 60 Hz for electrical manhole	1	Set		
	2.10	MTS 50A, 230V, 3Phase, 60 Hz	1	Set		
3		ental materials, works and services necessary e completion of the project	1	Lot		
		Total Bid Cost of Item I				
II	VCB NO. 3 & 4 AT POWER SUBSTATION 2					
1	Supply, Delivery and Installation of Vacuum Circuit Breaker (VCB) Nos.3 & 4 at Power Substation No. 2, complete with essential parts and components, control wiring system and standard accessories including other related works		2	Sets		
		Total Bid Cost of Item II				
III	1.5M	VA POWER TRANSFORMER AT MAIN	BUIL	DING		



ITEM NO.	PARTICULARS	QTY	UNIT	UNIT COST	TOTAL COST
1	Replacement of 1.5 MVA Transformer 34.5KV/480V, 3Phase, 60Hz with Termination Bus Bar from Transformer to LVSG-1 including Incidental Materials, works, Hauling and other services necessary to complete and for the full functionality of the Step Down Power Transformer	2	sets		
	Total Bid Cost of Item III				
IV	RENTAL-GENERATOR				
1	Rental of 750KVA/ 600KW Generator at Standby duty, 480 volts,60 Hz, 3 phase including Diesel for 45 calendar days duration or until completion and turn over.	2	sets		
2	Assembly of temporary LVSG with the breakers rated as stated below: BANK A BANK B Main 1: 2000A Main 2: 2000A FB-A : 500A FB-F : 250A FB-B : 500A FB-G : 500A FB-C : 1000A FB-H : 1000A FB-D : 250A FB-I : 500A FB-E : 250A TCB : 1000A	1	lot		
3	50mm2 THHN	235	lm		
4	125mm2 THHN	154	lm		
5	250mm2 THHN	1176	lm		
6	400mm2 THHN	176	lm		
7	Incidental Materials, works and services necessary for the completion of the temporary facility	1	lot		
	Total Bid Cost of Item IV				



Note:

1. Any bid exceeding the ABC per item shall not be accepted:

Item I: $\frac{1}{20,769,446.00}$ Item II: $\frac{1}{20,769,446.00}$ Item III: $\frac{1}{20,769,565.00}$ Item IV: $\frac{1}{20,769,600.00}$

- 2. Fill up all required items/field in the bid breakdown. Failure to indicate any of the following shall mean outright disqualification since bid is considered Non-Responsive.
 - If the item is given for free, indicate dash (-), zero (0) or free
 - If the item is not applicable, indicate N/A
- 3. All documents shall be signed, and each and every page thereof shall be initialed, by the duly authorized representative/s of the Bidder.
- 4. Bid proposal must be inclusive of all applicable taxes.
- 5. Warranty requirement is at no cost to SSS.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	



	Fo	ormula in the Com	putatio	on of NFCC	
		NAME OF I	PROJEC	CT	
		NAME OF C s – Current Liabilities cts including Awarde	s) – Val	ue of All Outstand	_
YEAR	Cl	URRENT ASSETS		CURRENT I	LIABILITIES
TOTAL					
		rks under On-going			1
CONTRACT DESCRIPTION		TOTAL CONTRACT AMOUNT AT AWARD	PL	CENTAGE OF ANNED AND ACTUAL OMPLISHMENT	ESTIMATED COMPLETION TIME
TOTAI					
Jse additional sh	eet/s, if ne	ecessary			
FORMULA:		us Current Liabilitie) –	Total Outstar	= nding NFO
Current As	sets IIIII	us Current Liabilitie	S IIIIIu	Works	C
		PNFC	CC C		
Prepared and Sub	mitted by	:			



(Name of Bank)

COMMITTED LINE OF CREDIT CERTIFICATE

Date:					
Social Security System (SSS SSS Main Building, East Ave Diliman, Quezon City					
CONTRACT PROJECT COMPANY/FIRM ADDRESS BANK/FINANCING INSTITUTION ADDRESS AMOUNT	: - : - : - : -				
This is to certify the above, commits to provide the mentioned Contract, a credit finance the performance of requirements.	he (Supplier/I t line in the a	Distributor/M amount speci	anufacturer/Co	ontractor), if aw nich shall be ex	varded the above- clusively used to
The credit line shall (Supplier/Distributor/Manufa maintained until issuance of	acturer/Contra	actor) of the N	Notice of Awar	rd and such line	of credit shall be
This Certificati (Supplier/Distributor/Manufa of Procuring Entity) for the a by us make us liable for perju The committed line approval of Social Security S	acturer/Contra above-mentioury. of credit ca	oned Contract.	We are aware	e that any false	statements issued
Name and Signature of Author		cing Institutio	n Office		
Office Designation					
Concurred by:					
Name & Signature of (Suppl	ier/Distributo	or/Manufactur	er/Contractor)	Authorized Rep	presentative
Official Designation SUBSCRIBED AND SWO Philippines, Affiant exhibite Rules on Notarial Practice	d to me his/h	her competen	Evidence of	Identity (as def	ines by the 2004
				NOTARY I	PUBLIC
Doc No. : Page No. : Book No. : Series of : (Note: The amount commit		be machine v	alidated in th	e Certificate its	self)

Alba

FORM-05

STATEMENT OF ON-GOING GOVERNMENT AND PRIVATE CONTRACTS

NAME OF CONTRACT	DATE OF CONTRACT	CONTRACT DURATION	OWNER'S NAME, ADDRESS, CONTACT NUMBERS AND E- MAIL ADDRESS	KINDS OF GOODS	AMOUNT OF CONTRACT	VALUE OF OUTSTANDING CONTRACT	REMARKS (Indicate "With NDA" or "Without NDA")

NOTE: INCLUDING PROJECTS WITH NON-DISCLOSURE AGREEMENT (NDA)



FORM-06

STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE PROJECT TO BE BID EQUIVALENT TO AT LEAST 50% OF THE ABC WITH ATTACHED CERTIFICATE OF FINAL COMPLETION

NAME OF CONTRACT	CONTRACT TERM	AMOUNT OF CONTRACT	CONTACT PERSON, CONTACT NO., ADDRESS, AND EMAIL ADDRESS

NOTE: SLCC SHOULD BE PROJECTS WITHOUT NON-DISCLOSURE AGREEMENT (NDA)



Bid Securing Declaration Form

REPUBLIC OF THE PHILIPPINES) CITY OF) S.S.

BID SECURING DECLARATION

Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

Alba

Contract Agreement Form for the Procurement of Goods (Revised)

[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

VARIOUS PROJECTS AT MAIN OFFICE POWER SUBSTATION 2

ITB-SSS-Goods-2024-

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] (PROJECT) and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.



- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - a. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - b. Supplier's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract; and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. SSS agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the date and place indicated in their respective acknowledgments.

[insert Name and Signature]	linsert Name and Signati		
[Insert Position of Signatory]	[Insert Position of Signatory]		
for:	for:		
SSS	[Insert Name of Supplier]		



(In case of double acknowledgment which is usually used by the SSS)

	SIGNED IN THE PRESENCE OF:	
•	r as to availability of funds)	
(Position of Certifying Office) (Department/Office of Certifying Office)		
(Department/Office of Cert	arying Officer)	
FUNDS AVAILABLE:		
APP No.:		
	FIRST ACKNOWLEDGMENT	
Republic of the Philippines		
	tary Public for and in, Pl, Pl, personally appeared:	hilippines, on this
Name	Competent Evidence of Identity	Date/Place of Issue
acknowledged to me that the free and voluntary act a	me person who executed the foregoing s, including this page and excluding he same is his/her/their free and volunta and deed of the principal he/she /they rep. ND AND SEAL on the date and place fi	annexes, and he/she/they ry act and deed as well as resent/s in this instance.
Doc. No; Page No; Book No; Series of 20		



SIGNED IN THE PRESENCE OF:

SI	ECOND ACKNOWLEDGMENT	
Republic of the Philippines)	S.S.	
BEFORE ME, a Notary day of	Public for and in, Ph, personally appeared:	nilippines, on this
Name	Competent Evidence of Identity	Date/Place of Issue
() pages, included acknowledged to me that the	person who executed the foregoing luding this page and excluding a same is his/her/their free and voing phrase) as well as the free and volks in this instance.	nnexes, and he/she/they duntary act and deed (if
WITNESS MY HAND	AND SEAL on the date and place fin	est above written.
Doc. No; Page No; Book No; Series of 20		

GPPB Resolution No. 16-2020, dated 16 September 2020



Omnibus Sworn Statement (Revised)

			_
REPUBLIC OF THE PHILIPPIN	NES)		
CITY/MUNICIPALITY OF) S.S.		

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity] as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, Procurement Agent if engaged, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, Procurement Agent if engaged, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;



[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, Procurement Agent if engaged, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a) Carefully examining all of the Bidding Documents;
 - b) Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s.1930, as amended, or the Revised Penal Code.

IN WITNESS	WHEREOF , I have hereunto set my hand this	day of _	, 20 at	
Philippines.				

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020



SECRETARY'S CERTIFICATE

I, <NAME OF CORPORATE SECRETARY>, of legal age, <Civil Status>, Filipino citizen and with business at <Company Address>, after being duly sworn, hereby depose and state that:

- 1. I am the Corporate Secretary of **COMPANY NAME>**, a Corporation duly organized and existing under and by virtue of the laws of the Philippines, with principal office at **Coffice Address>**.
- 2. As the Corporate Secretary, I have custody and access to the records of the Corporation.
- 3. I am familiar with the facts herein certified and duly authorized to certify the same.
- 4. I hereby certify that during a regular meeting of the Board of Directors of the Corporation held on **Date of Meeting**, at which meeting a quorum was present, the following Resolution/s was/were unanimously passed, approved and adopted:

а		RESOLVED that <company name=""></company> , authorized and empowered the following to participate in the bidding for the <project name=""></project> of the SOCIAL SECURITY SYSTEM:						
			NAME	POSITION/DE	SIGNATION	SIGNATURE		
		1. 2.						
t		RESOLVED FURTHER that , if awarded the Contract, the following is/are granted full power and authority to enter into contract with the SOCIAL SECURITY SYSTEM:						
		1	NAME	POSITION/DE	SIGNATION	SIGNATURE		
		1. 2.						
	, 1	Corporati and/or to might do said repre	on has/hav represent t if personal esentative/s	te the full power the Corporation as ly present, and he shall lawfully do	o perform any and a fully and effect creby satisfying a por cause to be d	d representative/s of the and all acts necessary ively as the Corporation and confirming all the lone by virtue hereof. day of at <city>.</city>		
				NAME	& SIGNATURE	E of Corporate Secretary		
SUBS affiant having place issued i	g ex	chibited to	me his/he	to before me this er <government i<="" th=""><td>s day of ssued ID and det</td><th>at <<u>CITY></u>, rails [issued by, date and</th></government>	s day of ssued ID and det	at < <u>CITY></u> , rails [issued by, date and		
Doc No Page No Book No Series of								

Alba

62

